c　データの保管及び配信ができること。
d　当院のＨＩＳ、ＲＩＳおよびＰＡＣＳと接続し情報の保存・送受信ができること。

B　デジタル一般Ｘ線システムは装置２台とし、１台は着脱可能なＦＰＤを搭載し、もう１台はＦＣＲシステムに対応した装置であること。かつ、それらは、次の要件を満たすものであること。
a　それぞれブッキー台を有すること。
b　データの保管及び配信ができること。
c　当院のＨＩＳ、ＲＩＳおよびＰＡＣＳと接続し情報の保存・送受信ができること。

C　超音波診断システムはデジタル装置２台とし、１台は循環器用装置、もう１台は腹部汎用装置であること。かつ、それらは、次の要件を満たすものであること。
a　それぞれ５本以上の専用プローブを有すること。
b　後者はエラストグラフィー対応機能・穿刺用附属品を備えること。
c　両者ともデジタルカラー・白黒プリンタを有すること。
d　データの保管及び配信ができること。
e　当院のＨＩＳおよびＰＡＣＳと接続し情報の保存・送受信ができること。

2　資料及びコメントの提供方法　上記１⑵の物品に関する一般的な参考資料及び同⑸の要求要件等に関するコメント並びに提供可能なライブラリーに関する資料等の提供を招請する。
⑴　資料等の提供期限　平成22年12月27日17時00分（郵送の場合は必着のこと。）
⑵　提供先　〒305―8576 つくば市天久保２丁目１番地の１　国立大学法人筑波大学病院総務部管理課契約第一　澤邊　昇　電話029―853―3515
3　説明書の交付　本公表に基づき応募する供給者に対して導入説明書を交付する。
⑴　交付期間　平成22年11月11日から平成22年12月27日まで。
⑵　交付場所　上記２⑵に同じ。
4　説明会の開催　本公表に基づく導入説明会を開催する。
⑴　開催日時　平成22年11月25日14時00分
⑵　開催場所　国立大学法人筑波大学附属病院Ｂ棟２階第１会議室
5　その他　この導入計画の詳細は導入説明書による。なお、本公表内容は予定であり、変更することがあり得る。
6　Summary
⑴　Classification of the products to be procured : 22, 31
⑵　Nature and quantity of the products to be purchased : Multi-purpose Digital Fluoroscopic System 1 Set
⑶　Type of the procurement : Purchase
⑷　Basic requirements of the procurement :
A　The multi-purpose digital X-ray TV system should fulfill the following requirements :
a　The system should have a flat panel detector equipped with a C-arm.
b　The system should be capable of imaging and IVR treatment for gastrointestinal and urological diseases.
c　The system can store and send the image data.
d　The system should be connected with HIS, RIS and PACS of the hospital and their information can be transferred each other.

B　The digital X-ray examination system should be comprised of two units : one with a detachable flat panel detector and the other adapted for the FCR system. Each system should fulfill the following requirements :
a　Both units should have a Bucky table.
b　These units can store and send the images.
c　These units should be connected with HIS, RIS and PACS of the hospital and their information can be transferred each other.

C　The ultrasonography system should be comprised of two digital units : one specialized for cardiovascular studies and the other for general abdominal examinations.
a　Both units should have five or more probes for each purpose.
b　The latter unit should be capable of elastography studies and ultrasonography-guided biopsy.
c　Both units should have digital color and gray-scale printers.
d　These systems can store and send the images.
e　These systems should be connected with HIS and PACS of the hospital and their information can be transferred each other.

⑸　Time limit for the submission of the requested material : 5 : 00 PM 27, December, 2010
⑹　Contact point for the notice : Noboru Sawabe, First Section of Contract, Division of Finance, Department of University Hospital Management, University of Tsukuba, 2―1―1 Amakubo Tsukuba-Shi 305―8576 Japan, TEL 029―853―3515

意見招請に関する公示

次のとおり調達物品の仕様書案の作成が完了したので、仕様書案に対する意見を招請します。
平成 22 年 11 月 11 日
警察庁長官官房会計課理事官　楠　　芳伸
◎調達機関番号　009　◎所在地番号　13

○第 809 号

1　調達内容
⑴　品目分類番号　15、28
⑵　購入等物品及び予定数量
①　多重無線装置（ＰＣＭ―104Ｍ―１形）数量未定
②　多重無線装置（ＰＣＭ―52Ｍ―４形）数量未定
③　ＩＰ搬送端局装置　数量未定
④　多重回線用制御監視打合装置（５形）数量未定
⑤　パラボラアンテナ（４形）数量未定
⑥　複合多重化装置（２形）数量未定
⑦　基幹ＩＰネットワーク構成機器　数量未定
2　意見の提出方法
⑴　意見の提出期限　平成22年12月13日17時45分（郵送の場合は必着のこと。）
⑵　提出先　〒100―8974 東京都千代田区霞が関２－１－２　警察庁情報通信局通信施設課施設係　大泉　雅昭　電話03―3581―0141内線6189
3　仕様書案の交付
⑴　交付期間　平成22年11月11日から平成22年12月13日まで。
⑵　交付場所　上記２⑵に同じ。
4　関心表明の方法
⑴　関心表明書の提出期限　平成22年12月13日17時45分
⑵　提出先　上記２⑵に同じ。
5　Summary
⑴　Classification of the products to be procured : 15, 28
⑵　Nature and quantity of the products to be purchased :
①　Multiplex Radio Communications Equipment (PCM―104M―Type 1), Quantity is undecided
②　Multiplex Radio Communications Equipment (PCM―52M―Type 4), Quantity is undecided
③　IP Carrier Terminal Equipment, Quantity is undecided
④　Supervisory Control Equipment (Type 5), Quantity is undecided
⑤　Parabolic Antenna (Type 4), Quantity is undecided
⑥　Multiplexer (Type 2), Quantity is undecided
⑦　Components of core IP network, Quantity is undecided
⑶　Time-limit for the submission of comments : 17 : 45 December 13, 2010
⑷　Contact point for the notice : Masaaki Ohizumi, Communications Facilities Division, Info-Communications Bureau, National Police Agency, 2―1―2 Kasumigaseki Chiyoda-ku Tokyo 100―8974 Japan. TEL 03―3581―0141 ext. 6189