c　This system must be explosion-proof type for explosive gas. and must discharged to the outside air explosive gas in the water tank group.

(ii)　Water tank group

a　It must be composed of raw water tank, sump tank, chemical tank, transparent water tank, concentrated water tank, and water tank after cleaning.

b　Raw water tank must has a capacity of at least 1 Kiloliter. Transparent water tank must has a capacity of at least 0.8 Kiloliter. Concentrated water tank must has a capacity of at least 0.3 Kiloliter. Water tank after cleaning must has a capacity of at least 0.3 Kiloliter.

c　Raw water tank must has a adjustment unit consisting of unit for adjusting aliphatic hydrocarbons, aromatic hydrocarbons, alcohols, esters. This unit also must produce an organic solvent test solution containing an organic solvent of five or more.

(iii)　High-pressure pump

a　It must be equipped with an inverter, and it must be capable of adjusting the flow rate by the control panel.

b　It must have O-ring, connection unit and packing, which is the material of SUS304 or equivalent.

c　Discharge rate must be capable of more than 10 liter／min at 7.0 MPa

(iv)　Evaluation cell

a　It must be capable of testing the transmission of the membrane effective area of at least 100 square centimeter (Flat plate type : 100 ～ 200 square centimeter, Module type (rolling) : 100 ～ 1000 square centimeter).

b　It must have at least three preliminary evaluation cell.

c　It must be made of SUS304 or equivalent.

(v)　Pipes

a　It must be made of SUS304 or equivalent.

b　It must have a detaching mechanism for replacing the element and Sampling of the permeate.

c　It must connect water tank group, high-pressure pump, the evaluation cell, the measurement system.

(vi)　Measurement system

a　It must be capable of measuring raw water temperature, the raw water pH, raw water conductivity, turbidity, operating pressure, the membrane surface flow, permeate flow rate element, the element permeate conductivity, and outputting the data to the control unit system data logger.

(vii)　Control system

a　It must be attached to the SUS base or It must be built into the main body.

b　It must have start switch, stop switch and emergency stop switch of the high-pressure pump.

c　It must have a built-in temperature controller, pump inverter, and pH indicator.

(5)　Time limit for the submission of the requested material : 17 : 15　22 May, 2014

(6)　Contact point for the notice : Takuya Yamagishi, Procurement Section, Accounting Division, Shinshu University, 3—1—1 Asahi Matsumoto-shi 390—8621 Japan, TEL 0263—37—3101

資料提供招請に関する公表

次のとおり物品の導入を予定していますので、当該導入に関して資料等の提供を招請します。

平成 26 年４月 21 日

国立大学法人九州大学総長　有川　節夫

◎調達機関番号　415　◎所在地番号　40

○第２号

１　調達内容

(1)　品目分類番号　22、31

(2)　導入計画物品及び数量　高度診療支援システム　一式

(3)　調達方法　購入等

(4)　導入予定時期　平成26年度１月以降

(5)　調達に必要とされる基本的な要求要件

(a)　新生児管理システム　新生児管理システムは、保育器及びその関連装置を有すること。

(b)　補助循環システム　補助循環システムは、補助人工心臓装置及びその関連装置を有すること。

(c)　患者診断システム　患者診断システムは、超音波画像診断装置、12誘導心電計、胎児心拍陣痛計及びそれらの関連装置を有すること。

２　資料及びコメントの提供方法　上記１(2)の物品に関する一般的な参考資料及び同(5)の要求要件等に関するコメント並びに提供可能なライブラリーに関する資料等の提供を招請する。

(1)　資料等の提供期限　平成26年６月６日17時00分（郵送の場合は必着のこと。）

(2)　提供先　〒812—8581 福岡市東区箱崎六丁目10番１号　国立大学法人九州大学財務部調達課消耗品調達係　都々木　明　電話092—642—4326

３　説明書の交付　本公表に基づき応募する供給者に対して導入説明書を交付する。

(1)　交付期間　平成26年４月21日から平成26年６月６日まで。

(2)　交付場所　上記２(2)に同じ。

４　説明会の開催　本公表に基づく導入説明会を開催する。

(1)　開催日時　平成26年５月12日14時00分

(2)　開催場所　九州大学病院北棟２階共用会議室２

５　その他　この導入計画の詳細は導入説明書による。なお、本公表内容は予定であり、変更することがあり得る。

６　Summary

(1)　Classification of the products to be procured : 22, 31

(2)　Nature and quantity of the products to be purchased : Advanced medical treatment supporting system 1 Set

(3)　Type of the procurement : Purchase

(4)　Basic requirements of the procurement :

(a)　Neonatal management (or treatment) System : The system is required to consist of infant incubators, and associated apparatuses.

(b)　Circulatory assisting System : The system is required to consist of extracorporeal ventricular assist systems (VAS), and associated apparatuses.

(c)　Medical diagnostic System : The system is required to consist of ultrasonic diagnostic apparatuses, twelve-lead electrocardiographs, fetal cardiotocographs, and associated apparatuses.

(5)　Time limit for the submission of the requested material : 17 : 00　6 June, 2014

(6)　Contact point for the notice : TSUZUKI Akira, Consumables Procurement Section, Procurement Division, Kyushu University, 6—10—1 Hakozaki Higashi-ku Fukuoka-shi 812—8581 Japan, TEL 092—642—4326

資料提供招請に関する公表

次のとおり物品の導入を予定していますので、当該導入に関して資料等の提供を招請します。

平成 26 年４月 21 日

国立大学法人大分大学理事　西山　　晋

◎調達機関番号　415　◎所在地番号　44

○第２号

１　調達内容

(1)　品目分類番号　22、31

(2)　導入計画物品及び数量　人工透析システム　一式

(3)　調達方法　購入等

(4)　導入予定時期　平成26年度11月以降

(5)　調達に必要とされる基本的な要求要件

A　本システムは最新の血液浄化療法体系を整備するため、効率よく充実した設備を有すること。

B　本システムは、病院情報管理システムと連携し、患者情報の共有が可能であること。

C　本システムは、血液透析患者の生体情報の集中管理が可能であること。

第明治三十種五郵年便三月物三十認一可日