D　The software available on all the compute nodes must satisfy the following conditions.
a　The system must be operated by Linux operating system.
b　On each compute node, Fortran, C and C++ including automatic parallelization feature and OpenMP must be supported for CPU part.
c　On each compute node, CUDA (including CUDA translator) and OpenACC or OpenMP must be supported for GPU part.
d　MPI 3.0 or later must be provided for parallel processing over all compute nodes.
e　Highly parallelized numerical and artificial intelligence library must be provided.
f　Batch-job scheduling system to manage all the compute nodes must be provided.
E　The power consumption of parallel processing servers, the parallel file system, login servers and all the cooling system must be equal to or less than 300kVA in total. To support the continuous operation of parallel processing servers and the parallel file system which are fully powered, power supply unit capacity, cooling system, floor plan, and all the environments must be carefully considered.
⑸　Time limit for the submission of the requested material : 17 : 00　28 April, 2021
⑹　Contact point for the notice : Akira Shigeta, Associate Head, Center for Computational Sciences, University of Tsukuba, 1―1―1　Tennodai　Tsukuba-shi　305―8577　Japan, TEL 029―853―6486

資料提供招請に関する公表

次のとおり物品の導入を予定していますので、当該導入に関して資料等の提供を招請します。
令和３年３月16日
国立大学法人福井大学財務部長　鈴木　康彦

◎調達機関番号　415　◎所在地番号　18
○第３号
１　調達内容
⑴　品目分類番号　４、31
⑵　導入計画物品及び数量　ベッド・マット洗浄装置　一式
⑶　調達方法　購入等
⑷　導入予定時期　令和３年度12月以降
⑸　調達に必要とされる基本的な要求要件
A　ベッドウォッシャーは洗浄・すすぎ・乾燥・冷却の工程にて処理する機能を有すること。
B　マットレス除菌乾燥装置は加熱蒸気システムにより、医療法のリネン・寝具類等の消毒基準に準じた処理が可能であること。
C　ベッドウォッシャー及びマットレス除菌乾燥装置は並列で設置すること。
２　資料及びコメントの提供方法　上記１⑵の物品に関する一般的な参考資料及び同⑸の要求要件等に関するコメント並びに提供可能なライブラリーに関する資料等の提供を招請する。
⑴　資料等の提供期限　令和３年５月６日15時00分（郵送の場合は必着のこと。）
⑵　提供先　〒910―1193 福井県吉田郡永平寺町松岡下合月23―３　福井大学財務部経理課　山田　玲子　電話0776―61―3111　内線2063
３　説明書の交付　本公表に基づき応募する供給者に対して導入説明書を交付する。
⑴　交付期間　令和３年３月16日から令和３年３月23日まで。
⑵　交付場所　上記２⑵に同じ。
４　説明会の開催　本公表に基づく導入説明会を開催する。
⑴　開催日時　令和３年３月23日10時30分
⑵　開催場所　福井大学医学部管理棟大会議室
５　その他　この導入計画の詳細は導入説明書による。なお、本公表内容は予定であり、変更することがあり得る。
６　Summary
⑴　Classification of the products to be procured : 4, 31
⑵　Nature and quantity of the products to be purchased : Bed and Mattress washer System 1 Set
⑶　Type of the procurement : Purchase
⑷　Basic requirements of the procurement :
A　The bed washer have washing, a rinse, drying, a function to handle by a cooling process.
B　The mattress sanitization drying equipment being available for handling of medical law that followed sterilization standards such as linen, bedclothing by a heating steam system.
C　Install a bed washer and the mattress sanitization drying equipment in parallel.
⑸　Time limit for the submission of the requested material : 15 : 00　6 May, 2021
⑹　Contact point for the notice : Yamada Reiko, Procurement Section, Accounting Division, Finance Department, University of Fukui, 23―3 Matsuokashimoaizuki Eiheiji-cho Yoshida-gun Fukui 910―1193 Japan, TEL 0776―61―3111 ex. 2063

資料提供招請に関する公表

次のとおり物品の導入を予定していますので、当該導入に関して資料等の提供を招請します。
令和３年３月16日
国立大学法人三重大学長　駒田　美弘
◎調達機関番号　415　◎所在地番号　24
○第１号
１　調達内容
⑴　品目分類番号　22、31
⑵　導入計画物品及び数量
薬剤関連業務支援システム　一式
⑶　調達方法　購入等
⑷　導入予定時期　令和３年度３月以降
⑸　調達に必要とされる基本的な要求要件
A　システムと連動し薬品名と秤取量を監査し、分包・印字できる散薬自動分包機であること。
B　一包化指示のある処方を分包・印字し、錠剤およびカプセル剤の一包化調剤を行う全自動分包機であること。
C　内用薬のピッキングを自動で行う自動薬剤取揃機であること。
D　注射薬と施用ラベルを施用単位ごとに集め、トレイおよびカートに自動でセットする自動注射薬取揃機であること。
E　円滑な業務遂行に必要な周辺機器およびソフトウエアを付属していること。
F　既存の調剤部門支援システム（ユヤマ社製）、手術部門・救急部門・アンギオ内視鏡部門システム（フクダコーリン社製）、病院情報管理システム（日本アイ・ビー・エム社製）と接続し、オーダ情報等の通信ができること。
G　システムを設置するための工事を含むこと。
H　医薬品情報管理システムは、医薬品情報室における各種記録（委員会議事、患者限定医薬品、医薬品適応外使用など）をデータベース化し、一元管理できる仕組みであること。
I　医薬品情報管理システムは、入力作業、検索、メンテナンスが簡便に行える画面構成であること。
J　医薬品情報管理システムは、スキャニングしたＰＤＦファイルなどを登録、検索できること。
K　医薬品情報管理システムは、入力データを集計し帳票・図表として出力可能な機能を持つこと。
L　医薬品情報管理システムは、薬価、薬品コード類など医薬品関連マスタをインポートし分類・計算等に利用可能であること。
M　医薬品情報管理システムは、Windows OS、iPad OSおよび、iOS上で動作すること。
N　医薬品情報管理システムは、複数の端末（PC，iPadなど）にて同時に閲覧可能であること。ただし、編集可能な端末は限定できること。
O　構成するデータベース項目について、追加など拡張可能であること。
P　上記データベースを円滑に保管・利用する能力のあるハードディスクや周辺機器、ソフトウエア等を付属していること。