d　ネットワーク環境の利用、管理運用、保守が容易であり、万が一の災害発生時には自動でバックアップ回線に切り替わる等ＢＣＰ対策に配慮していること。

e　24時間正常稼動が前提であるネットワークサービスの障害を未然に防止できる機能が提供されること。また、障害時には迅速かつ万全な対処ができるようなサポート体制が提供されること。

2　資料及びコメントの提供方法　上記１⑵の物品に関する一般的な参考資料及び同⑸の要求要件等に関するコメント並びに提供可能なライブラリーに関する資料等の提供を招請する。

⑴　資料等の提供期限　令和４年８月22日17時00分（郵送の場合は必着のこと。）

⑵　提供先　〒760―8521　香川県高松市幸町１－１　香川大学財務部経理課　係長　土佐瑞恵　電話087―832―1107

3　説明書の交付　本公表に基づき応募する供給者に対して導入説明書を交付する。

⑴　交付期間　令和４年７月11日から令和４年８月22日まで。

⑵　交付場所　上記２⑵に同じ。

4　説明会の開催　本公表に基づく導入説明会を開催する。

⑴　開催日時　令和４年７月21日14時00分

⑵　開催場所　香川大学法人本部第二会議室

5　その他　この導入計画の詳細は導入説明書による。なお、本公表内容は予定であり、変更することがあり得る。

6　Summary

⑴　Classification of the products to be procured : 14

⑵　Nature and quantity of the products to be rent : Network System for Information Media Center 1 Set

⑶　Type of the procurement : Rent

⑷　Basic requirements of the procurement : In Kagawa University, current campus network has provided several services of computer communications for scientific research, university education, administrative management, and contribution for community. The updated network must satisfy necessary conditions to connect the following systems organically and to enhance their functions and values. Such systems are next Educational Computer System, Academic Research Support System, Libraries Information System and Administration Support System.

Our university consists of 4 major campuses, in order to let these distributed campuses work effectively and efficiently by establishing Data Center as these core implemented in next Educational Computer System, the updated network should consist of the following facilities and equipments :

A　Connection Equipment of Inter-Campus via Data Center

B　Intra-Campus switches (IP routers) with hierarchical structure

C　Connection Equipment for Attached Schools

D　Institutions Connection Equipment for Internet Backbone with highly secure mechanism

E　Various Servers for Network Management Moreover, the supplier should satisfy the following requirements :

a　The updated network should prepare highly increasing requirements about system administration and management. Additionally, the supplier should provide the necessary support ; outsourcing for a part of them.

b　The network has to be cooperate with next Educational Computer System and the other existing systems.

c　The supplier should provide a network security considering internal measures in addition to external.

d　While the use of the network environment, management and maintenance are simple, the network is considered for BCP measures (e.g. automatic switching to a backup line) just in case of the outbreak of a disaster.

e　The supplier should take prompt actions to recover the network in case of troubles and security incidents. The supplier also prepares the support organization for Kagawa University.

⑸　Time limit for the submission of the requested material : 17 : 00　22 August, 2022

⑹　Contact point for the notice : Mizue Tosa, Accounts Division, Management Offices, Kagawa University, 1―1 Saiwai-cho Takamatsu-shi Kagawa 760―8521 Japan, TEL 087―832―1107

資料提供招請に関する公表

次のとおり物品の導入を予定していますので、当該導入に関して資料等の提供を招請します。

令和４年７月11日

国立大学法人長崎大学長　河野　茂

◎調達機関番号　415　◎所在地番号　42

○第２号

1　調達内容

⑴　品目分類番号　22、31

⑵　導入計画物品及び数量

SPECT／CT，SPECT　一式

⑶　調達方法　購入等

⑷　導入予定時期　令和５年度３月以降

⑸　調達に必要とされる基本的な要求要件

A　SPECT／CTのCT検出器列数は16列以上であること。

B　当院の画像サーバ及び放射線情報システムと接続し、情報の受け渡しができること。

C　当院の電子カルテに接続し、情報の受け渡しができること。

2　資料及びコメントの提供方法　上記１⑵の物品に関する一般的な参考資料及び同⑸の要求要件等に関するコメント並びに提供可能なライブラリーに関する資料等の提供を招請する。

⑴　資料等の提供期限　令和４年８月26日17時00分（郵送の場合は必着のこと。）

⑵　提供先　〒852―8501 長崎市坂本１－７－１　長崎大学病院経営管理課物品担当　伊東沙也加　電話095―819―7218

3　説明書の交付　本公表に基づき応募する供給者に対して導入説明書を交付する。

⑴　交付期間　令和４年７月11日から令和４年８月26日まで。

⑵　交付場所　上記２⑵に同じ。

4　説明会の開催　本公表に基づく導入説明会を開催する。

⑴　開催日時　令和４年７月21日10時00分

⑵　開催場所　長崎大学病院多目的指導室

5　その他　この導入計画の詳細は導入説明書による。なお、本公表内容は予定であり、変更することがあり得る。

6　Summary

⑴　Classification of the products to be procured : 22, 31

⑵　Nature and quantity of the products to be purchased : Single Photon Emission CT／CT scanner system and Single Photon Emission CT scanner system 1 Set

⑶　Type of the procurement : Purchase

⑷　Basic requirements of the procurement :

A　The number of CT detector rows in SPECT／CT should be 16 or more.

B　The introduced SPECT／CT and SPECT should be connected to existing radiology information system and picture archiving system to deliver the information.

C　The introduced SPECT／CT and SPECT should be connected to hospital information system to deliver the information.

⑸　Time limit for the submission of the requested material : 17 : 00　26 August, 2022

⑹　Contact point for the notice : ITOU Sayaka, Supplies Section, Management Division, Nagasaki University Hospital, 1―7―1 Sakamoto Nagasaki-Shi 852―8501 Japan, TEL 095―819―7218

意見招請に関する公示

次のとおり調達特定役務の仕様書案の作成が完了したので、仕様書案に対する意見を招請します。

令和４年７月11日

独立行政法人住宅金融支援機構契約担当役

財務企画部長　吉德　光男

◎調達機関番号　608　◎所在地番号　13

1　調達内容

⑴　品目分類番号　71、27

⑵　購入等特定役務及び数量　総合オンラインシステムセンターサーバー保守等業務