(3) The system must enable a noise reduction reconstruction technique using deep learning.
(4) The system must be equipped with various RF coils for different parts of the body.
(5) The system must be capable of archiving and distributing the image data.
(6) The system must have connections with the hospital's radiology and hospital information systems, and must allow communication of images and order information.
(7) The system must be safe enough for application as medical equipment.

B　PET／CT system
(1) The PET and CT images must be acquired with the system and quality of the acquired images must be enough for diagnosis.
(2) The O-15 carbon monoxide, O-15 carbon dioxide, O-15 oxygen and O-15 water images of the brain, myocardium, and other organs, and tumor in the whole-body must be acquired with the system.
(3) The system must have high spatial resolution and large axial field of view for shorter acquisition time.
(4) The system must enable image analysis, including functional analysis, for diagnosis.
(5) The system must be capable of archiving and distributing the image data.
(6) The system must have connections with the hospital's radiology and hospital information systems, and must allow communication of images and order information.
(7) The system must be safe enough for application as medical equipment.

(5) Time limit for the submission of the requested material : 17 : 00　15 October, 2024
(6) Contact point for the notice : SUZUKI Masaki, Supplies Ⅰ Section, Financial Division, Hokkaido University Hospital, Kita 14 Nishi 5 Kita-ku Sapporo-shi 060―8648 Japan, TEL 011―706―7401

資料提供招請に関する公表

次のとおり資料等の提供を招請します。
令和６年８月29日
国立大学法人広島大学
分任契約担当職　霞地区運営支援部長
寺田　美樹

◎調達機関番号　415　◎所在地番号　34

○第２号

1　調達内容
(1) 品目分類番号　14
(2) 導入計画物品および数量　総合病院情報システム情報出力運用支援サービス　一式
(3) 調達方法　借入
(4) 導入予定時期　令和７年12月以降
(5) 調達に必要とされる基本的な要求要件
① 総合病院情報システム上のＰＣ端末から印刷可能であること。
② Ａ４プリンター　約500台、Ａ３プリンター　約100台、高速プリンター　約10台を納入すること。なお、全機種カラープリンターであること。
③ 機器使用料、用紙を除く消耗品費、定期交換部品代及び保守費用を包含すること。
④ 消耗品の交換時期を検知し、自動発注及び自動配送を行う仕組みがあること。
⑤ 保守作業員を院内に配置すること。なお、保守作業員が消耗品交換作業、トラブル対応、及び故障機と正常機の入替作業をすること。
⑥ 低消費電力の機器であること。最大消費電力は1000W以下であること。

2　資料及びコメントの提供方法　上記１(2)の導入計画物品の一般的な参考資料及び同(5)の要求要件等に関するコメント並びに提供可能なライブラリーに関する資料等の提供を招請する。
(1) 資料等の提供期限　令和６年９月30日17時00分（郵送の場合は必着のこと。）
(2) 提出先　〒734―8553 広島市南区霞一丁目２番３号　広島大学霞地区運営支援部会計グループ主査（契約主担当）　新迫　洋一　電話082―257―5025

3　説明書の交付　本公表に基づき応募する供給者に対して導入説明書を交付する。
(1) 交付期間　令和６年８月29日から令和６年９月30日まで。

4　説明会の開催　本公表に基づく導入説明会を開催する。
(1) 開催日時　令和６年９月６日11時00分
(2) 開催場所　広島大学病院　臨床管理棟２階　２Ｆ２会議室

5　その他　この導入計画の詳細は導入説明書による。なお、本公表内容は予定であり、変更することがあり得る。

6　Summary
(1) Classification of the products to be procured : 14
(2) Nature and quantity of the product to be procured : Integrated Hospital Information system Information Output and Operation Support Service 1 Set
(3) Type of the procurement : Rent
(4) Basic requirements of the procurement :
① Printing from PC terminals on the general Integrated Hospital Information system shall be possible.
② Approximately 500 A4 printers, 100 A3 printers, and 10 high-speed printers shall be delivered. All printers must be color printers.
③ The cost shall include equipment usage fees, consumables (excluding paper), periodic replacement parts, and maintenance costs.
④ There shall be a system that detects when consumables need to be replaced and automatically orders and delivers them.
⑤ A maintenance worker shall be assigned within the hospital. Maintenance workers shall be responsible for replacing consumables, troubleshooting problems, and replacing malfunctioning equipment with normal equipment.
⑥ The equipment shall be low power consumption equipment. The maximum power consumption shall be 1000W or less.
(5) Time limit for the submission of the requested material : 17 : 00　30 September, 2024
(6) Contact point for the notice : SHINSAKO Yoichi, Chief, Accounting Group, Kasumi Campus Management Support Office, Hiroshima University, 1―2―3 Kasumi Minami-ku Hiroshima-shi 734―8553 Japan, TEL 082―257―5025

意見招請に関する公示

次のとおり調達物品の仕様書案の作成が完了したので、仕様書案に対する意見を招請します。
令和６年８月29日
支出負担行為担当官
デジタル庁会計担当参事官　杉本　敬次

◎調達機関番号　027　◎所在地番号　13

1　調達内容
(1) 品目分類番号　71、27
(2) 購入等件名及び数量　公正取引委員会のガバメントソリューションサービスへの移行及び関連する庁舎移転に係るネットワーク環境構築及び保守　１式

2　意見の提出方法
(1) 意見の提出期限　令和６年９月19日12時00分
(2) 提出先　〒102―0094 東京都千代田区紀尾井町１番３号東京ガーデンテラス紀尾井町16階　デジタル庁省庁業務サービスグループガバメントソリューションサービス担当　電話03―6771―8910

3　仕様書案の交付
(1) 交付期間　令和６年８月29日から令和６年９月19日まで
(2) 交付場所　政府電子調達システムに掲載する。

4　Summary
(1) Classification of the services to be procured : 71, 27
(2) Nature and quantity of the Services to be required : Construction and maintenance of Network for migration to the Government Solution Services of Japan Fair Trade Commission and related relocation to a new facility, 1 set