```
        IDENTIFIED BY id-ce-certificatePolicies }

CertificatePoliciesSyntax ::=
                SEQUENCE SIZE (1..MAX) OF PolicyInformation

PolicyInformation ::= SEQUENCE {
        policyIdentifier   CertPolicyId,
        policyQualifiers   SEQUENCE SIZE (1..MAX) OF PolicyQualifierInfo }

CertPolicyId ::= OBJECT IDENTIFIER

PolicyQualifierInfo ::= SEQUENCE {
        policyQualifierId       CERT-POLICY-QUALIFIER.&id
                                    ({SupportedPolicyQualifiers}),
        qualifier               CERT-POLICY-QUALIFIER.&Qualifier
                                    ({SupportedPolicyQualifiers}
                                    {@policyQualifierId}) }

SupportedPolicyQualifiers CERT-POLICY-QUALIFIER ::= { noticeToUser }

CERT-POLICY-QUALIFIER ::= CLASS {
        &id             OBJECT IDENTIFIER UNIQUE,
        &Qualifier  }
WITH SYNTAX {
        POLICY-QUALIFIER-ID     &id
        QUALIFIER-TYPE          &Qualifier }

noticeToUser CERT-POLICY-QUALIFIER ::= {
     POLICY-QUALIFIER-ID id-qt-unotice  QUALIFIER-TYPE   UserNotice }

UserNotice ::= SEQUENCE {
     noticeRef        NoticeReference,
     explicitText     DisplayText }

NoticeReference ::= SEQUENCE {
     organization     DisplayText,
     noticeNumbers    SEQUENCE OF INTEGER }

DisplayText ::= CHOICE {
     visibleString    VisibleString  (SIZE (1..200)),
     utf8String       UTF8String     (SIZE (1..200)) }

basicConstraints EXTENSION ::= {
        SYNTAX  BasicConstraintsSyntax
        IDENTIFIED BY id-ce-basicConstraints }

BasicConstraintsSyntax ::= SEQUENCE {
        cA              BOOLEAN DEFAULT FALSE
}

authorityInfoAccess EXTENSION ::= {
        SYNTAX  AuthorityInfoAccessSyntax
        IDENTIFIED BY id-pe-authorityInfoAccess }

AuthorityInfoAccessSyntax  ::=
        SEQUENCE SIZE (1..MAX) OF AccessDescription

AccessDescription  ::=  SEQUENCE {
        accessMethod          OBJECT IDENTIFIER,
        accessLocation        GeneralName  }

jCertificatePolicies EXTENSION ::= {
        SYNTAX  JCertificatePoliciesSyntax
        IDENTIFIED BY id-registeredcert-pe-jCertificatePolicies }

JCertificatePoliciesSyntax ::= SEQUENCE SIZE (1..MAX) OF PolicyInformation

registrar EXTENSION ::= {
        SYNTAX  RegistrarSyntax
        IDENTIFIED BY id-registeredcert-pe-registrar }

RegistrarSyntax ::= DirectoryString{ub-registrar}

registeredCorporationInfo EXTENSION ::= {
        SYNTAX  RegisteredCorporationInfoSyntax
        IDENTIFIED BY id-registeredcert-pe-registeredCorporationInfo }

RegisteredCorporationInfoSyntax ::= SEQUENCE {
  corporateName               [0] EXPLICIT DirectoryString{ub-corporate-name},
  registeredNumber            [1] EXPLICIT PrintableString,
  corporateAddress            [2] EXPLICIT DirectoryString{ub-corporate-address},
  representativeDirectorName  [3] EXPLICIT DirectoryString
                                          {ub-representative-director-name},
  representativeDirectorTitle [4] EXPLICIT DirectoryString
                                          {ub-representative-director-title},
  registryOffice              [6] EXPLICIT DirectoryString{ub-registry-office}
}

crlDistributionPoints EXTENSION ::= {
        SYNTAX  CRLDistPointsSyntax
        IDENTIFIED BY id-ce-cRLDistributionPoints }
```