J　システムはサーバ／クライアント方式で構成され、運用は24時間稼働を原則とすること。
K　電子保存三要件（真正性・見読性・保存性）に準拠すること。
L　システム使用後の予期せぬ不具合に対しては迅速な対応ができること。
2　資料及びコメントの提供方法　上記１⑵の物品に関する一般的な参考資料及び同⑸の要求要件等に関するコメント並びに提供可能なライブラリーに関する資料等の提供を招請する。
⑴　資料等の提供期限　平成24年４月13日17時00分（郵送の場合は必着のこと。）
⑵　提供先　〒036―8563 弘前市本町53　弘前大学医学部附属病院経理調達課　経理調達グループ　調達担当　村田　雅明　電話0172―39―5197
3　説明書の交付　本公表に基づき応募する供給者に対して導入説明書を交付する。
⑴　交付期間　平成24年２月27日から平成24年４月13日まで。
⑵　交付場所　上記２⑵に同じ。
4　説明会の開催　本公表に基づく導入説明会を開催する。
⑴　開催日時　平成24年３月６日16時00分
⑵　開催場所　弘前大学医学部附属病院小会議室
5　その他　この導入計画の詳細は導入説明書による。なお、本公表内容は予定であり、変更することがあり得る。
6　Summary
⑴　Classification of the products to be procured : 22, 31
⑵　Nature and quantity of the products to be purchased : ICU patient management system 1 Set
⑶　Type of the procurement : Purchase
⑷　Basic requirements of the procurement :
A　ICU patient management system has to connect with the existing hospital information system.
B　Patient vital signs should be automatically stored and those data should be accessible for many ways like drawing a trend graph and arrhythmia management.
C　Vital profile viewer should display original data which are automatically-plotted on vital profile chart and the relevant wave form should be displayed as requested by the users.
D　Free comments can be input in any field of the vital profile chart.
E　Laboratory data should be automatically transferred to display in the relevant field of the vital profile chart.
F　The ICU patient management system should provide the ordering system of intravenous drugs and the acceptance and the performance should be visible on the vital profile chart.
G　Total amount of the intravenous drugs used a day should be transferred to the existing hospital information system.
H　The vital profile chart can be browsed by clients of the existing hospital information system.
I　The vital signs of the patients in surgical rooms, recovery rooms and emergency ICU rooms can be browsed in the monitoring system.
J　The system has to be made up according with client-server architecture.
K　The system has to accord with three requirements of electronic records in Japan.
L　Unexpected system troubles after the operation should be solved as soon as possible.
⑸　Time limit for the submission of the requested material : 5 : 00 PM 13, April, 2012
⑹　Contact point for the notice : Masaaki Murata, Accounting Procurement Group, Accounting Procurement Division, Hirosaki University Hospital, 53 Hon-cho Hirosaki-shi 036―8563 Japan, TEL 0172―39―5197

## 資料提供招請に関する公表

次のとおり物品の導入を予定していますので、当該導入に関して資料等の提供を招請します。
平成 24 年２月 27 日
国立大学法人宮城教育大学長　高橋　孝助

◎調達機関番号　415　◎所在地番号　04
**○第１号**
1　調達内容
⑴　品目分類番号　14
⑵　導入計画物品及び数量　研究・教育支援用電子計算機システム　一式
⑶　調達方法　借入
⑷　導入予定時期　平成24年度１月以降
⑸　調達に必要とされる基本的な要求要件
A　本システムは、多様な教育分野の教育研究を支えるために必要不可欠な基盤であり、今回の更新により、多様化する計算機教育環境の一層の充実を図るものである。
B　本システムは、サーバ群、ネットワーク接続装置、クライアント端末等から構成され、本学ユーザーの需要に、余裕を持って対応できること。特に、端末の高速化を図り安定稼働すること。仮想化技術を使い、省エネに配慮し、運用の自由度を向上させること。
C　本システムは、少数人員での集中管理やメンテナンスが可能なシステム構成であること。
D　既存システムからの移行がスムーズに行われるよう支援、助言を行い、障害対応も含めた支援体制を実現すること。移行にあたっては、現有のユーザー領域、認証パスワードをそのまま使用できるほか、ユーザーが作成したソフトウェア資産をできるだけ引き継ぐこと。
E　既存システムの追加として、カメラによる監視システムと磁気カードによる演習室ドアの施錠解錠、また演習室・図書館・附属小学校および事務部門の端末の増設を行なうこと。
F　災害時に備え、クラウドサービスを利用し、計画停電等に備え、発動機とＵＰＳをつないだ電源で行なう縮退運転が可能であること。
2　資料及びコメントの提供方法　上記１⑵の物品に関する一般的な参考資料及び同⑸の要求要件等に関するコメント並びに提供可能なライブラリーに関する資料等の提供を招請する。
⑴　資料等の提供期限　平成24年３月29日17時00分（郵送の場合は必着のこと。）
⑵　提供先　〒980―0845 仙台市青葉区荒巻字青葉149番地　宮城教育大学財務課調達係長　鈴木　昭弘　電話022―214―3319
3　説明書の交付　本公表に基づき応募する供給者に対して導入説明書を交付する。
⑴　交付期間　平成24年２月27日から平成24年３月29日まで。
⑵　交付場所　上記２⑵に同じ。
4　説明会の開催　本公表に基づく導入説明会を開催する。
⑴　開催日時　平成24年３月６日14時00分
⑵　開催場所　宮城教育大学管理棟会議室
5　その他　この導入計画の詳細は導入説明書による。なお、本公表内容は予定であり、変更することがあり得る。
6　Summary
⑴　Classification of the products to be procured : 14
⑵　Nature and quantity of the products to be rent : Requirements of the Computer System for Reserch and Education 1 Set
⑶　Type of the procurement : Rent
⑷　Basic requirements of the procurement :
A　This system will be the indispensable infrastructure which supports education and research in various educational areas, which will provide sufficient environment in increasing diversity of computer education.
B　This system would possess server groups, networks and client terminals to correspond with the demand of user with sufficient capacity. The system needs a improvement of the boot time speed of terminals. The system needs stable operations. The system needs server virtualization for energy efficiency and flexibility.
C　The system will enable its concentrated management and simple maintenance with a small number of operators.
D　Supporting system would be implemented to perform the transition of the system smoothly from our existing system, including support, advise and corrective action. Files of user areas and user passwords would be accepted by the new system without change. The user's software property would be transferred as much as possible.