6⑷　「Time-limit for the submission of application forms and relevant documents for the qualification : 14 : 00　29 August 2012」を「Time-limit for the submission of application forms and relevant documents for the qualification :　14 : 00　5　September 2012」に変更します。

6⑸　「Time-limit for the submission of tenders by electronic bidding system : 14 : 00 23 October 2012 (tenders brought with : 14 : 00　23 October 2012 or submitted by mail : 14 : 00　23 October 2012)」を「Time-limit for the submission of tenders by electronic bidding system : 14 : 00　30 October 2012 (tenders brought with : 14 : 00　30 October 2012 or submitted by mail : 14 : 00　30 October 2012)」に変更します。

招　　請

資料提供招請に関する公表

東日本電信電話株式会社公告第８号

次のとおり物品の導入を予定していますので、当該導入に関して資料等の提供を招請します。

なお、本招請は資料等提供者の機密情報及び財産的情報の提出を求めるものではありません。

平成 24 年８月 20 日

東日本電信電話株式会社
札幌病院長　小池　隆夫

◎調達機関番号　125　◎所在地番号　01

○東総人医札病第 12―186 号

1　調達内容

⑴　品目分類番号　22、31

⑵　導入計画物品名称及び数量　ジェットウォッシャー超音波洗浄装置　一式

⑶　調達方法　購入

⑷　導入予定時期　平成25年３月

⑸　調達に必要とされる基本的な要求用件

①　装置外形寸法：1300（W）×1000（D）×1900（H）以下である事。

②　装置は既存給水設備を利用して設置・稼動可能である事。また設置時には既設三方枠の撤去等の工事は必要としない事。

③　４段ラック寸法は640（W）×780（D）×630（H）以上である事。

④　洗浄用バスケット（520（W）×255(D)×50（H))は重ねる事無く12枚以上、回収コンテナ（270（W）×560(D)×135(H))は４枚以上搭載可能である事。

⑤　４段ラックは棚の取外しが可能であり、２段・３段・４段ラックとして使用できる事。

⑥　超音波発振周波数は37kHz以上で、発振出力は2400W以上である事。またリザーブタンクを有し排水時に熱水処理可能な事。

⑦　装置には超音波機能を有し、超音波水位をラック下段・中段・全段浸漬と３段階の設定可能とする事。

⑧　洗浄工程で使用する薬剤は３種類投入可能となる様、投入ポンプを３ケ有する事。また投入量は流量センサーにて管理出来る事。

⑨　洗浄機の洗浄工程モニター及び洗浄工程履歴・温度履歴・異常履歴等をＨＤへ保存し、必要に応じてＰＤＦファイルにて保存・印刷出来る洗浄管理システムとＬＡＮ回線にて接続出来る事。

⑩　迅速な保守体制及びユーザー支援体制を有する事。

2　資料及びコメントの提供方法　上記１⑵の物品に関する一般的な参考資料及び同⑸の要求要件等に関するコメント並びに資料等の提供を招請します。

⑴　資料等の提出期限　平成24年10月４日14時00分（現地時間）
（郵送の場合は必着のこと）

⑵　提出先　〒060―0061 北海道札幌市中央区南１条西15丁目　東日本電信電話株式会社札幌病院　医療サービス担当　江島　寿也
電話　（011）623―7540
ファックス　（011）623―7527
なお、ＮＴＴ東日本ホームページ http://www.ntt-east.co.jp/purchase/inquiry/index.html記載窓口においても問い合わせを行います。

3　Summary

⑴　Classification of the products to be procured : 22, 31

⑵　Name and quantity of the products to be purchased : Jet Washer Ultrasonic Cleaner 1 set

⑶　Type of the procurement : purchase

⑷　Introductory schedule time : March, 2013

⑸　Basic requirements of the procurement :

①　External dimensions : less than 1300 (W) × 1000 (D) × 1900 (H).

②　Device can be installed and worked to use existing water supply facility. Not require works about removal existing three sides case and other works.

③　Four-shelf instrument rack : more than 640 (W) × 780 (D) × 630 (H).

④　More than twelve instrument basket (520 (W) × 255 (D) × 50 (H)) can be mounted on the rack without stacking. More than four Recovery container (270 (W) × 560 (D) × 135 (H)) can be mounted on the rack.

⑤　Four-shelf instrument rack can be removed and used as Two／Three／Four-shelf rack.

⑥　High frequency output has more than 37kHz, and 2400W. Device has the reserve tank and can process hot liquid in drain process.

⑦　Device has ultrasonic. Ultrasonic water level can be adjusted three level. (lower／middle／upper)

⑧　Detergent system has three input pomp and can provide three kinds of detergent. Detergent input can be regulated by the flow sensor.

⑨　Device can be connected with washing control system through the LAN line. Washing process／temperature／abnormalities record can be preserved on the HD and printed as PDF file.

⑩　Speedy user maintenance／support service.

⑹　Time-limit for the submission of the Requested material : 2 : 00 p.m. October4, 2012 (Local Time)

⑺　Contact point for the notice :

a．SAPPORO MEDICAL CENTER NTT EAST Minami Ichijyo Nishi 15, Chuou-ku, Sapporo, Hokkaido 060―0061, Japan
TEL : 011―623―7540
FAX : 011―623―7527
Attn. : Mr. Toshiya Ejima

b．Overseas contact points described on the following URL.
http://www.ntt-east.co.jp/purchase-e/inquiry/index.html

意見招請に関する公示

次のとおり調達物品の仕様書案の作成が完了したので、仕様書案に対する意見を招請します。

平成 24 年８月 20 日

総務省大臣官房会計課企画官　梅田　　勉

◎調達機関番号　012　◎所在地番号　13

1　調達内容

⑴　品目分類番号　71、27

⑵　購入等特定役務及び数量
情報流通連携基盤の地盤情報における実証に係る請負　一式

2　意見の提出方法

⑴　意見の提出期限　平成24年９月10日午後５時（郵送の場合は必着のこと。）

⑵　提出先　〒100―8926 東京都千代田区霞が関二丁目１番２号　総務省大臣官房会計課契約第二係　担当　及川　聖晴　電話03―5253―5132

3　仕様書案の交付

⑴　交付期間　平成24年８月20日から平成24年９月10日まで

⑵　交付場所　上記２⑵に同じ

4　Summary

⑴　Classification of the services to be procured : 71, 27

⑵　Nature and quantity of the services to be required : The comtract of the demonstration experiment for open data distribution platform in foundation information 1 set.

⑶　Time limit for the submission of comments : 5 : 00 PM 10 September 2012

⑷　Contact point for the notice : Toshiharu Oikawa, nts Division, Minister's Secretariat, Ministry of Internal Affairs and Communications, 1―2 Kasumigaseki 2-chome, Chiyoda-ku Tokyo 100―8926 Japan. TEL 03―5253―5132