4　説明会の開催　本公表に基づく導入説明会を開催する。
⑴　開催日時　平成24年10月18日14時00分
⑵　開催場所　弘前大学医学部附属病院小会議室
5　その他　この導入計画の詳細は導入説明書による。なお、本公表内容は予定であり、変更することがあり得る。
6　Summary
⑴　Classification of the products to be procured : 14
⑵　Nature and quantity of the products to be rent : Integrated Hospital Information System 1 Set
⑶　Type of the procurement : Rent
⑷　Basic requirements of the procurement :
A　The requirements for the next hospital information system are to maintain or extend the existing hospital information system, to totally assist the entire medical procedures in the Hirosaki University Hospital for highly advanced medicine, effective hospital managements, medical education and community health care.
B　The required hospital management functions include the maintenance of the hospital information system, management of user account, access account, access log, employees' information, distributions, and sick-beds, messaging function for public relations, and the supporting functions for risk management.
C　The required system has to have sufficient granularity and usability as the computerized medical records system, which permits data storage, data extraction, and data reuse for a release of medical documents, causal factor analysis for medical accident and answering measures against external evaluation. In addition, the system has to provide with data coordinating function among the subsystems without redundant keypunch.
D　The required system has to conform to "The requirement for safety managements of medical information system version 4.1" established by Japan Ministry of Health, Labour and Welfare at February 2010.
E　The clinical path function has to be implemented with the use of the computerized medical records or order entry functions. In addition, alerting functions for preventing medical accidents based on the archived cases of causal factor analysis and the collected medical attributes of the individual patients have to be packed.
F　The medical accounting system has to request payment for medical and dental services on line.
G　All of the computer terminals have to be implemented with multi-windows and graphical user interface, which provide with the integrated and same usability as the existing system.
H　Data communication and expression have to conform to the standard protocol.
I　The system has to run on without stoppage for all the time and provide with prompt response by load balancing system equipped.
J　The structural plans for system maintenance, including hardware and software and user education have to be provided. The user and administrator manuals for detailed system functions have to be provided. E-learning function for streaming of educational contents has to be provided.
K　The relevant information for data migration, if any, has to be provided with transfer of copy right.
L　The system has to provide with the data ware house restructured for clinical research, community health care, risk management and management control.
M　The system has to provide with community health care system, which supports medical coordination among hospitals and welfare facilities, including patient referral, teleradiology and teleconference through sharing of medical information in the common server.
N　All of the data in the whole system has to be migrated accurately for the next system.
O　In disaster, the system has to provide with a browsing function of the patient medical records to ensure business continuity.
P　The system has also to provide with network system including a wireless LAN, which ensures usability of PDA (personal digital assistant) and also procedure for data migration.
⑸　Time limit for the submission of the requested material : 5 : 00 PM 5, November, 2012
⑹　Contact point for the notice : Tatsunori Takamatsu, Accounting Procurement Group, Accounting Procurement Division, Hirosaki University Hospital, 53 Hon-cho Hirosaki-shi 036―8563 Japan, TEL 0172―39―5188

資料提供招請に関する公表

次のとおり物品の導入を予定していますので、当該導入に関して資料等の提供を招請します。
平成24年9月18日
国立大学法人東京大学総長　濱田　純一
◎調達機関番号　415　◎所在地番号　13

○第５号

1　調達内容
⑴　品目分類番号　20
⑵　導入計画物品及び数量　海洋調査船　一式
⑶　調達方法　購入等
⑷　導入予定時期　平成25年度９月以降
⑸　調達に必要とされる基本的な要求要件
A　船体は総トン数12トン以上とし、船質及び船型は繊維強化プラスチック（ＦＲＰ Fiber Reinforced Plastic）製（キール船型）とすること。
B　航行区域は第１種小型漁船、登録は漁船登録とすること。
C　航海速力は最大25ノット以上、航続距離は350マイル以上、搭載人員は23名であること。
D　主機関１台及び発電機関と発電機を装備していること。また、適切な防振・防音対策が整備された機関であること。
E　運航時における高速から微速航行時の船速までの速力の制御が容易にでき、漂泊・微速航行時における観測・実習・調査作業に支障をきたさないように十分に配慮すること。
F　自動操舵装置、バウスラスター、ＤＧＰＳ航走装置、航海用レーダー、サテライトコンパス、音響測深機、ＡＤＣＰ（Acoustic Doppler Current Profiler　多層流向流速計）などを装備していること。
G　船尾甲板にA型フレームデリックを装備すること。
H　船首楼甲板に油圧式キャプスタン、船尾甲板に油圧式海洋観測用ウインチを装備すること。
I　法定上の消化設備及び救命設備が整っていること。
J　電子機器、音響調査機器の精度向上及び調査居住環境を確保するための適切な防音、防振対策が施されていること。
2　資料及びコメントの提供方法　上記１⑵の物品に関する一般的な参考資料及び同⑸の要求要件等に関するコメント並びに提供可能なライブラリーに関する資料等の提供を招請する。
⑴　資料等の提供期限　平成24年10月19日11時00分（郵送の場合は必着のこと。）
⑵　提供先　〒277―8564　千葉県柏市柏の葉５－１－５　東京大学大気海洋研究所経理・調達チーム　荻野　久憲　電話04―7136―6026
3　説明書の交付　本公表に基づき応募する供給者に対して導入説明書を交付する。
⑴　交付期間　平成24年９月18日から平成24年10月19日まで。
⑵　交付場所　上記２⑵に同じ。
4　説明会の開催　本公表に基づく導入説明会を開催する。
⑴　開催日時　平成24年９月27日15時00分
⑵　開催場所　東京大学大気海洋研究所１階会議室
5　その他　この導入計画の詳細は導入説明書による。なお、本公表内容は予定であり、変更することがあり得る。
6　Summary
⑴　Classification of the products to be procured : 20
⑵　Nature and quantity of the products to be purchased : Research Vessel 1 Set
⑶　Type of the procurement : Purchase