I　設備、設置機器、及びシステムは、GMP基準に則りバリデーションが実施されること。

J　設置機器も含めた設備一式に対し、定期的バリデーション・校正・保守点検を含む、安定した保守支援体制を有すること。

2　資料及びコメントの提供方法　上記1⑵の物品に関する一般的な参考資料及び同⑸の要求要件等に関するコメント並びに提供可能なライブラリーに関する資料等の提供を招請する。

⑴　資料等の提供期限　平成26年12月5日17時00分（郵送の場合は必着のこと。）

⑵　提供先　〒606―8507 京都市左京区聖護院川原町53　京都大学南西地区共通事務部経理課外部資金第三掛　芦高　数宏　電話075―366―7117

3　説明書の交付　本公表に基づき応募する供給者に対して導入説明書を交付する。

⑴　交付期間　平成26年11月4日から平成26年12月5日まで。

⑵　交付場所　上記2⑵に同じ。

4　説明会の開催　本公表に基づく導入説明会を開催する。

⑴　開催日時　平成26年11月14日10時00分

⑵　開催場所　京都大学ｉＰＳ細胞研究所会議室

5　その他　この導入計画の詳細は導入説明書による。なお、本公表内容は予定であり、変更することがあり得る。

6　Summary

⑴　Classification of the products to be procured : 24

⑵　Nature and quantity of the products to be purchased : Cell Processing Center Unit 1 Set

⑶　Type of the procurement : Purchase

⑷　Basic requirements of the procurement :

A　This Unit is designed for the production and quality control of regenerative medicinal products, such as iPS cells (iPSC Stock Project) or differentiated cells from iPS cells for therapeutic use (clinical research).

B　The Unit consists of a Quality Control Unit (1F) and Production Unit (2F), as well as systems which can control the performance of equipment, process of manufacturing and quality of products.

C　The Unit has adopted the new regenerative medicine law.

D　The Quality Control Unit includes a sterility test room, bacteriological inspection room, microbial contamination test room, nucleic acid preparation room, PCR assay room, karyotyping room, and cell culture (for assay) room.

E　The Production Unit includes 4 closed system cell processing rooms (for isolator), 4 open system cell processing rooms (for BSC), iPSC preservation room.

F　The Cell processing rooms of the Production Unit and the sterility test room of Quality Control Unit are clean rooms, which assure the sterility of the products and tests by controlling room pressure, temperature, humidity, and particle concentration count.

G　Monitoring and control systems are setup to monitor all equipment in the area (Production Unit and Quality Control Unit), storage data, emergency warning (and recovery) notification, and transform data (for trend analysis or other purposes).

H　A manufacturing process control system can prepare processing instructions for each product (and for each lot) and generate labels for products, intermediate products, and samples. It equips a bar-code reader by which products, intermediate products, samples, and materials can be appropriately identified.

I　The Unit (premises, equipment and systems) must be appropriately validated.

J　Adequate support for maintenance, which includes annual validation, calibration, and daily inspection, must be provided.

⑸　Time limit for the submission of the requested material : 17 : 00　5 December, 2014

⑹　Contact point for the notice : Kazuhiro Ashitaka, Accounting Section, Center for iPS Cell Research and Application (CiRA), Kyoto University, 53 Kawahara-cho Shogoin Sakyo-ku Kyoto-Shi 606―8507 Japan, TEL 075―366―7117

意見招請に関する公示

次のとおり調達物品の仕様書案の作成が完了したので、仕様書案に対する意見を招請します。

平成26年11月4日

国立国会図書館関西館総務課長　遊佐　啓之

◎調達機関番号　001　◎所在地番号　26

1　調達内容

⑴　品目分類番号　71、27

⑵　調達件名及び数量　ＮＤＬデジタルアーカイブシステム　デジタルデポジットシステムの移行・保守1式

2　意見の提出方法

⑴　意見の提出期限　平成26年11月25日午後5時00分（郵送の場合は必着のこと。）

⑵　提出先　〒619―0287 京都府相楽郡精華町精華台8－1－3　国立国会図書館関西館総務課　阿部　　泰　電話0774―98―1240

3　仕様書案の交付

⑴　交付期間　平成26年11月4日から平成26年11月21日まで

⑵　交付場所　上記2⑵に同じ。

4　仕様書案の説明会

⑴　開催日時　平成26年11月11日午後2時00分

⑵　開催場所　国立国会図書館関西館1階第1研修室

5　Summary

⑴　Classification of the services to be procured : 71, 27

⑵　Nature and quantity of the services to be required : Migration and maintenance of the NDL Digital Deposit System 1 set

⑶　Time-limit for the submission of comments : 5 : 00 PM, November 25, 2014

⑷　Contact point for the notice : Osamu Abe, Administrative Division, Kansaikan of the National Diet Library, 8―1―3 Seikadai, Seika-cho, Soraku-gun, Kyoto 619―0287 Japan FAX 0774―94―9108

意見招請に関する公示

次のとおり調達物品の仕様書案の作成が完了したので、仕様書案に対する意見を招請します。

平成26年11月4日

東北管区警察局青森県情報通信部長

伊藤　健一

◎調達機関番号　009　◎所在地番号　02

○第1号

1　調達内容

⑴　品目分類番号　15、29

⑵　借入件名及び数量

青森県警察本部用指令通信装置（情報処理系）賃貸借　1式

2　意見の提出方法

⑴　意見の提出期限　平成26年12月4日17時15分（郵送の場合は必着のこと。）

⑵　提出先　〒030―0801 青森市新町二丁目3番1号　東北管区警察局青森県情報通信部通信施設課施設第1係　電話017―723―4211

3　仕様書案の交付

⑴　交付期間　平成26年11月4日から平成26年12月4日まで。

⑵　交付場所　上記2⑵に同じ。

4　関心表明の方法

⑴　関心表明書の提出期限　平成26年12月4日17時15分（郵送の場合は必着のこと。）

⑵　提出先　上記2⑵に同じ。

5　Summary

⑴　Classification of the products to be procured : 15, 29

⑵　Nature and quantity of the products to be purchased : Command Communications Equipment for Aomori Prefectural Police Headquarters (Information Processing System), 1 set

⑶　Time-limit for the submission of comments : 17 : 15　4 December, 2014

⑷　Contact point for the notice : Communications Facilities Section, Aomori Prefectural Info-Communications Department, Touhoku Regional Police Bureau, 2―3―1 Shinmachi Aomori-shi 030―0801 Japan. TEL 017―723―4211