B　The network system must provide a rapid and safe communication between computer systems of the department and campus network, and it must have adequate security functionalities.

C　The educational computer system must provide enough capacity and functionality for education and research of the department, with cooperation of authentication system and printing service system provided by information processing center of the university.

D　The multipurpose virtual server system must provide computing and storage capacity for information processing in the department including document management system and Web servers for example, and must be extendable for future coming information services.

E　The entry control system must be built into the multipurpose virtual server system and must provide entrance control for laboratory rooms and office rooms controlled by the department with cooperation of authentication system provided by the information processing center of the university.

F　The document management system must be built into the multipurpose virtual server system and must provide systematic and safety management and storage for documents used in the department, and must provide efficient support for management of the department.

G　The web server system must be built into the multipurpose virtual server system on the premises, or into the external cloud environment.

H　The resource reservation system must be built into the multipurpose virtual server system and must provide reservation entry for resources controlled by the department.

I　The management system must be built into the multipurpose virtual server system and must provide integrated and efficient operation for all over the procured system and the resources controlled by the department.

(5)　Time limit for the submission of the requested material : 17 : 00　16 April, 2015

(6)　Contact point for the notice : Kensaku Takeda, Accounts Division, Finance Department, The National University Corporation Shimane University, 1060 Nishikawatsu-cho Matsue-shi 690―8504 Japan, TEL 0852―32―6027

## 資料提供招請に関する公表

次のとおり物品の導入を予定していますので、当該導入に関して資料等の提供を招請します。

平成27年3月16日

国立大学法人徳島大学長　香川　　征

◎調達機関番号　415　◎所在地番号　36

**○第６号**

1　調達内容

(1)　品目分類番号　22、31

(2)　導入計画物品及び数量　重症患者生体情報システムモニタ　一式

(3)　調達方法　購入等

(4)　導入予定時期　平成27年度２月以降

(5)　調達に必要とされる基本的な要求要件

A　セントラルモニタ、ベッドサイドモニタ、送信機等で構成されること。

B　全ての生体情報モニタは既存の重症患者生体情報システムと接続・連携し、現行通りに各種サーバへの情報が転送できること。

C　既存の生体情報モニタの同等以上のデータを移行でき、システムの運用及び操作性を担保できること。

D　病院情報システムと既存の重症患者生体情報システムとの現在の連携を同等に担保できること。

2　資料及びコメントの提供方法　上記１(2)の物品に関する一般的な参考資料及び同(5)の要求要件等に関するコメント並びに提供可能なライブラリーに関する資料等の提供を招請する。

(1)　資料等の提供期限　平成27年５月１日17時00分（郵送の場合は必着のこと。）

(2)　提供先　〒770―8503　徳島市蔵本町２―50―１　国立大学法人徳島大学病院経理調達課調達係　池田　英樹　電話088―633―9559

3　説明書の交付　本公表に基づき応募する供給者に対して導入説明書を交付する。

(1)　交付期間　平成27年３月16日から平成27年５月１日まで。

(2)　交付場所　上記２(2)に同じ。

4　説明会の開催　本公表に基づく導入説明会を開催する。

(1)　開催日時　平成27年３月23日15時00分

(2)　開催場所　国立大学法人徳島大学病院小会議室

5　その他　この導入計画の詳細は導入説明書による。なお、本公表内容は予定であり、変更することがあり得る。

6　Summary

(1)　Classification of the products to be procured : 22, 31

(2)　Nature and quantity of the products to be purchased : Biological information system for critically ill patients 1 Set

(3)　Type of the procurement : Purchase

(4)　Basic requirements of the procurement :

A　The system should be consisted of central　monitor,bedside monitor and telecommunication system.

B　All modalities of the current system can be connected and transfer data to this new system same as existent.

C　All existent application software can port new system with all existent data,and can operate same as existent.

D　New system can link to HIS to receive HIS data same as existent.

(5)　Time limit for the submission of the requested material : 17 : 00　1 May, 2015

(6)　Contact point for the notice : Hideki Ikeda, Supplies, University Hospital, Accounting and Supply Affairs Section , National University Corporation, The University of Tokushima, 2―50―1 Kuramoto-cho Tokushima-shi　770―8503　Japan,　TEL 088―633―9559

## 資料提供招請に関する公表

次のとおり物品の導入を予定していますので、当該導入に関して資料等の提供を招請します。

平成27年3月16日

国立大学法人徳島大学長　香川　　征

◎調達機関番号　415　◎所在地番号　36

**○第７号**

1　調達内容

(1)　品目分類番号　22、31

(2)　導入計画物品及び数量　ＩＶＲ―ＣＴシステム　一式

(3)　調達方法　購入等

(4)　導入予定時期　平成27年度３月以降

(5)　調達に必要とされる基本的な要求要件

A　本システムは、ＩＶＲ―ＣＴ装置及び必要な表示・画像解析システムを含んでいること。

B　ＩＶＲ―ＣＴ装置及び表示・画像解析システムは、以下の要件を満たすこと。

a　優れた組織コントラスト及び時間分解能を有し、迅速な画像解析処理、表示が行える機能を有する検出器64列以上のＣＴと、大視野・高精細・好感度なフラットパネル検出器を有する血管撮影装置のセットであること。

b　操作性が良く、高速な二次元・三次元画像処理及び、血流及び灌流解析が行え、表示することができる機能を有すること。

c　被曝線量を減らす画像処理及び再構成処理ができる機能を有すること。

d　ＣＴには金属アーチファクト軽減対策が講じられていること。

2　資料及びコメントの提供方法　上記１(2)の物品に関する一般的な参考資料及び同(5)の要求要件等に関するコメント並びに提供可能なライブラリーに関する資料等の提供を招請する。

(1)　資料等の提供期限　平成27年５月１日17時00分（郵送の場合は必着のこと。）

(2)　提供先　〒770―8503　徳島市蔵本町２―50―１　国立大学法人徳島大学病院経理調達課調達係　池田　英樹　電話088―633―9559