(4) Basic requirements of the procurement :
A This system should be mainly composed of a large capacity high performance storage system and network devices which connect the storage system to the NIG supercomputer system currently operated.
B The large capacity storage system must facilitate 3 PB or greater effective capacity. The large capacity storage system must facilitate open source, high performance, and high available, parallel file system. Physical I／O performance between nodes and the shared file system must be 30 GB／s or higher in total of all nodes.
C The large capacity storage must be connected to the NIG supercomputer Phase 1 InfiniBand 4×QDR switch in operation by using no less than 8 ports and not greater than 16 ports. We are planning that the next NIG supercomputer will have InfiniBand 4×EDR switch. The large capacity storage must be able to connect to the switch of the next NIG supercomputer by using no less than 4 ports and not greater than 8 ports.
D The installation site will be the 3F computer room of the NIG Computer Building. The NIG supercomputer and UPS devices are installed on the second floor of the computer building.
(5) Time limit for the submission of the requested material : 17 : 15　3 April, 2017
(6) Contact point for the notice : Akira Watanabe, Supplies Team, Financial Affairs Section, National Institute of Genetics, Research Organization of Information and Systems, 1111 Yata Mishima-shi 411―8540 Japan, TEL 055―981―6730

○第２号―遺伝研

1　調達内容
(1)　品目分類番号　14
(2)　導入計画物品及び数量　大容量アーカイブストレージシステム　一式
(3)　調達方法　借入
(4)　導入予定時期　平成29年度２月以降
(5)　調達に必要とされる基本的な要求要件
A　本システムは大容量アーカイブストレージシステム及びこれを現行の遺伝研スーパーコンピュータに接続するネットワーク機器からなる。
B　大容量アーカイブシステムは現行スパコンPhase１に対し実効容量で合計15ＰＢ以上、現行スパコンPhase２に対し実効容量で合計15ＰＢを有する２つのストレージシステムからなること。ＳＭＲ　ＨＤＤ、大規模テープライブラリシステムを用いた階層ストレージなど、実現方式については資料招請段階では規定しない。
C　既設計算ノード群とアーカイブストレージシステムの間のインジェクションバンド幅はPhase１、 Phase２それぞれ25GB／s以上となるように構成すること。
D　大容量アーカイブストレージの設置場所は遺伝研電子計算機棟３Ｆ計算機室とする。遺伝研スーパーコンピュータ及びＵＰＳ装置は電子計算機棟２Ｆに設置されている。
2　資料及びコメントの提供方法　上記１(2)の物品に関する一般的な参考資料及び同(5)の要求要件等に関するコメント並びに提供可能なライブラリーに関する資料等の提供を招請する。
(1)　資料等の提供期限　平成29年４月３日17時15分（郵送の場合は必着のこと。）
(2)　提供先　〒411―8540 三島市谷田1111　大学共同利用機関法人　情報・システム研究機構　国立遺伝学研究所管理部財務課調達チーム　渡辺　　晃　電話055―981―6730
3　説明書の交付　本公表に基づき応募する供給者に対して導入説明書を交付する。
(1)　交付期間　平成29年３月１日から平成29年４月３日まで。
(2)　交付場所　上記２(2)に同じ。
4　説明会の開催　本公表に基づく導入説明会を開催する。
(1)　開催日時　平成29年３月７日15時00分
(2)　開催場所　国立遺伝学研究所本館２階会議室
5　その他　この導入計画の詳細は導入説明書による。なお、本公表内容は予定であり、変更することがあり得る。

6 Summary
(1) Classification of the products to be procured : 14
(2) Nature and quantity of the products to be rent : Large capacity archiving storage system 1 Set
(3) Type of the procurement : Rent
(4) Basic requirements of the procurement :
A This system should be mainly composed of a large capacity archiving storage system and network devices which connect the storage system to the NIG supercomputer system currently operated.
B The large capacity archiving storage system must consist of the following two storage systems : The one storage system must facilitate 15PB effective capacity and be connected to the Phase 1 system of the NIG supercomputer in operation, and the second system must facilitate 15 PB or greater effective capacity and be connected to the Phase 2 system. Implementation technologies such as SMR HDD, hierarchical storage system with large scale digital tape libraries will not be prescribed at the request for submission of materials stage.
C The injection bandwidth for communication between the storage and connected calculation node in the NIG supercomputer in operation should be equal to or faster than 25Gbps in both Phase 1, and Phase 2 system.
D The installation site will be the 3F computer room of the NIG Computer Building. The NIG supercomputer and UPS devices are installed on the second floor of the computer building.
(5) Time limit for the submission of the requested material : 17 : 15　3 April, 2017
(6) Contact point for the notice : Akira Watanabe, Supplies Team, Financial Affairs Section, National Institute of Genetics, Research Organization of Information and Systems, 1111 Yata Mishima-shi 411―8540 Japan, TEL 055―981―6730

意見招請に関する公示

次のとおり調達物品の仕様書案の作成が完了したので、仕様書案に対する意見を招請します。
平成29年３月１日
宮内庁長官官房主計課長　馬場　　健
◎調達機関番号　008　◎所在地番号　13
1　調達内容
(1)　品目分類番号　22、31
(2)　借入物品及び数量
全身用コンピュータ断層撮影装置　１式
2　意見の提出方法
(1)　意見の提出期限　平成29年３月31日17時（郵送の場合は必着のこと。）
(2)　提出先　〒100―8111 東京都千代田区千代田１番１号　宮内庁長官官房用度課用度第一係　平山　　学　電話03―3213―1111（内線3295）
3　仕様書案の交付
(1)　交付期間　平成29年３月１日から平成29年３月31日まで。
(2)　交付場所　上記２(2)に同じ。
4　Summary
(1) Classification of the products to be procured : 22, 31
(2) Nature and quantity of the products to be leased : X-ray Computed Tomography System 1 set
(3) Time-limit for the submission of comments : 17 : 00, March 31, 2017
(4) Contact point for the notice : Manabu Hirayama, First Supply Section, Supply Division, Grand Steward's Secretariat, Imperial Household Agency, 1―1 Chiyoda, Chiyoda-ku, Tokyo 100―8111 Japan TEL 03―3213―1111 ext. 3295

意見招請に関する公示

次のとおり調達物品の仕様書案の作成が完了したので、仕様書案に対する意見を招請します。
平成29年３月１日
大阪税関総務部長　秋田　　潤
◎調達機関番号　015　◎所在地番号　27
1　調達内容
(1)　品目分類番号　25
(2)　借入物品及び数量　埠頭監視カメラシステム　二式