4　説明会の開催　本公表に基づく導入説明会を開催する。
⑴　開催日時　平成30年１月12日15時00分
⑵　開催場所　国立大学法人徳島大学病院入札室・会議室
5　その他　この導入計画の詳細は導入説明書による。なお、本公表内容は予定であり、変更することがあり得る。
6　Summary
⑴　Classification of the products to be procured : 22, 31
⑵　Nature and quantity of the products to be rent : Monitoring system for the critically ill patients 1 Set
⑶　Type of the procurement : Rent
⑷　Basic requirements of the procurement :
A　This new system should consist of operational server, data back-up server, data storage server, WEB server and client terminal.
B　All modalities of the current system can be connected and transfer data to this new system same as existent.
C　All existent application software can port new system with all existent data, and can operate same as existent.
D　New system can link to HIS to receive HIS data same as existent.
⑸　Time limit for the submission of the requested material : 17 : 00　2 February, 2018
⑹　Contact point for the notice : Tomoko Kajiura, Supplies, University Hospital, Accounting and Supply Affairs Section , National University Corporation, Tokushima University, 2―50―1 Kuramoto-cho Tokushima-shi 770―8503 Japan, TEL 088―633―9559

資料提供招請に関する公表

次のとおり物品の導入を予定していますので、当該導入に関して資料等の提供を招請します。
平成 29 年 12 月 18 日
国立大学法人高知大学長　脇口　宏

◎調達機関番号　415　◎所在地番号　39
○第２号
1　調達内容
⑴　品目分類番号　22、31
⑵　導入計画物品及び数量　複合ディジタル画像診断システム　一式
⑶　調達方法　購入等
⑷　導入予定時期　平成30年度７月以降
⑸　調達に必要とされる基本的な要求要件
A　システムの装置構成は、Ｘ線ＴＶ装置２式、ＭＲＩ装置３式および周辺機器とする。
B　システム構成装置は、ＲＩＳから患者情報を取得できること。
C　撮影画像、および処理画像をＤＩＣＯＭ Ver.3.0 規格に規定されるStorage Service　ClassのＳＣＵとして、ＲＩＳ・ＰＡＣＳ・ＨＩＳに自動および手動で転送できること。
D　システムは、本院既存システムと連携できること。
E　Ｘ線ＴＶ装置のＸ線画像検出器は、CsI（ヨウ化セシウム）を用いた間接変換方式のフラットパネルディテクタ（以下、ＦＰＤ）であること。
F　ＭＲＩ装置の構成は、1.5テスラ以上を１台、3.0テスラ以上を２台とする。
G　本院が用意した設備（電気設備等）以外に必要となる設備がある場合は、本学担当者と協議し、その指示に従い、費用は本調達に含むものとする。また、配線工事等において必要となる関連機器及び関連用品は、本調達に含むものとする。
2　資料及びコメントの提供方法　上記１⑵の物品に関する一般的な参考資料及び同⑸の要求要件等に関するコメント並びに提供可能なライブラリーに関する資料等の提供を招請する。
⑴　資料等の提供期限　平成30年２月２日17時15分（郵送の場合は必着のこと。）
⑵　提供先　〒783―8505 南国市岡豊町小蓮　高知大学医学部・病院事務部会計課病院担当係　安岡　杏紗　電話088―880―2242
3　説明書の交付　本公表に基づき応募する供給者に対して導入説明書を交付する。
⑴　交付期間　平成29年12月18日から平成30年２月２日まで。
⑵　交付場所　上記２⑵に同じ。
4　説明会の開催　本公表に基づく導入説明会を開催する。
⑴　開催日時　平成29年12月25日15時00分
⑵　開催場所　高知大学医学部第１会議室
5　その他　この導入計画の詳細は導入説明書による。なお、本公表内容は予定であり、変更することがあり得る。
6　Summary
⑴　Classification of the products to be procured : 22, 31
⑵　Nature and quantity of the products to be purchased : Composite Digital Image Diagnosis System 1 Set
⑶　Type of the procurement : Purchase
⑷　Basic requirements of the procurement :
A　The system configuration of the system is X-ray fluoroscopy systems two unit, MRI three unit and Peripheral equipment.
B　The system configuration device can acquire patient information from RIS (Radiology Information System).
C　Captured images and processed images can be automatically and manually transferred to RIS, PACS, HIS as Storage Service Class SCU specified in DICOM Ver. 3.0 Standard.
D　The system can cooperate with the university hospital system.
E　X-rays image detector of the X-ray fluoroscopy system being a FPD (Flat Panel Detector) of the indirect conversion method using CsI (cesium iodide).
F　The configuration of the MRI apparatus is 1.5 Tesla or more one unit, and 3.0 Tesla or more two units.
G　When there are the facilities which are necessary other than facilities which university hospital prepared, I discuss it with the university hospital person in charge and according to the instructions the expense shall include it in this procurement.In addition, the apparatus which is necessary in wiring work concerned and the article concerned shall include it in this procurement.
⑸　Time limit for the submission of the requested material : 17 : 15　2 February, 2018
⑹　Contact point for the notice : Azusa Yasuoka, Procurement Section, Accounting Division, Kochi Medical School, Kochi University, Kohasu Oko-cho Nankoku-shi 783―8505 Japan, TEL 088―880―2242

意見招請に関する公示

次のとおり調達特定役務の仕様書案の作成が完了したので、仕様書案に対する意見を招請します。
平成 29 年 12 月 18 日
中部地方整備局長　塚原　浩一
◎調達機関番号　020　◎所在地番号　23
1　調達内容
⑴　品目分類番号　71、27
⑵　調達件名及び数量　道路占用システムのデータセンターサービス提供業務　一式
2　意見の提出方法
⑴　意見の提出期限　平成30年１月18日17時00分（郵送の場合は必着のこと）
⑵　提出先　〒460―8514 愛知県名古屋市中区三の丸２丁目５番１号　国土交通省中部地方整備局総務部契約課　長谷川　仁　電話052―953―8138　内線2538
3　仕様書案の交付
⑴　交付期間　平成29年12月18日から平成30年１月18日まで
⑵　交付場所　上記２⑵に同じ
4　Summary
⑴　Classification of the products to be procured : 71, 27
⑵　Nature and quantity of the services to be required : The datacenter service offer duties of a System for Occupancy of Road area 1 set
⑶　Time-limit for the submission of comments : 17 : 00　18, January, 2018
⑷　Contact point for the notice : Jin Hasegawa, Purchase Section, Contract Division, General Affairs Department, Chubu Regional Development Bureau, Ministry of Land, Infrastructure, Transport and Tourism, 2―5―1, Sannomaru, Naka-Ku, Nagoya-Shi, Aichi-Ken, 460―8514, Japan. TEL 052―953―8138 ex. 2538