⑸　契約書作成の要否　要
⑹　落札者の決定方法　本公告に示した役務を実施できると日本年金機構が判断した資料及び入札書を提出した入札者であって、日本年金機構の予定価格の制限の範囲内で最低の価格をもって有効な入札行った入札者を落札者とする。ただし、落札者となるべき者の入札価格によっては、その者により当該契約の内容に適合した履行がなされないおそれがあると認められるとき、又はその者と契約を締結することが公正な取引の秩序を乱すこととなるおそれがあって著しく不適当であると認められるときは、予定価格の制限の範囲内の価格をもって入札した他の者のうち最低の価格をもって入札した者を落札者とすることがある。
⑺　手続きにおける交渉の有無　無
⑻　詳細は入札説明書による。

5　Summary
⑴　Deputy of President : Satoshi Kageuchi, Procurement Management Department, Japan Pension Service
⑵　Classification of the services to be procured : 71, 27
⑶　Nature and quantity of the services to be required : The CD burning on the insured information of the Health Insurance and the Employee's Pension Insurance for the covered entities, approx. 119,100 CDs
⑷　Performance period : From date of contract through 31 March, 2020
⑸　Delivery place : Places designated by Japan Pension Service
⑹　Qualifications for participating in the tendering procedures : Suppliers eligible for participating in the proposed tender are those who shall ;
①　It must be a person who doesn't correspond to the person and the bankrupt who doesn't have the ability that the corresponding contract concludes by not obtaining rehabilitation.
②　It is a person who disturbed the execution of the duty as the person and the staff who disturbed the fulfillment of the person and the highest bidder who disturbed the execution of a person who did the act of injustice for the compact prosecution and a fair competition of the contract, and it is ill-founded and it person who doesn't correspond to the person who doesn't perform a contract.
③　Have the Grade A in "Service" in terms of the qualification for participating in tenders by the Ministry of Health, Labour and Welfare (Single qualification for every ministry and agency) in Kanto-Koshinetsu Area in fiscal years 2016, 2017, 2018
④　Prove to have actually engaged in fair amount of similar matters properly
⑤　Prove to have the ability to provide sufficient service with certainty
⑥　Prove to have no false statement in tendering documents
⑦　Prove neither the business condition nor credibility is deteriorating
⑧　Other persons who are qualified as provided in the bidding instructions
⑺　Time-limit for Tender : 11 : 00 AM, 19 February, 2019
⑻　Contact point for the notice : Azusa Tanihira, Procurement Management Department, Japan Pension Service, 5―24, Takaido-nishi 3-chome, Suginami-ku, Tokyo, 168―8505, Japan TEL 03―5344―1100

入札公告の訂正

次のとおり訂正します。
平成 30 年 12 月 28 日
日本年金機構本部調達管理部長　影内　聡志
◎調達機関番号　428　◎所在地番号　13
1　掲載日　平成30年12月10日（号外政府調達第232号）
2　訂正内容　第71号35ページ４段26行目の⑵中「案件番号２　週次分（別送）　予定数量247,000件」を「案件番号２　週次分（別送）　予定数量136,000件」に、36ページ３段34行目の⑶中「②　approximately 247,000」を「②　approximately 136,000」に訂正する。

招　請

資料提供招請に関する公表

次のとおり物品の導入を予定していますので、当該導入に関して資料等の提供を招請します。
平成 30 年 12 月 28 日
国立大学法人東京工業大学
事務局長　芝田　政之
◎調達機関番号　415　◎所在地番号　13
○第２号
1　調達内容
⑴　品目分類番号　24
⑵　導入計画物品及び数量　ヘリウム回収・圧縮・液化設備の一部機器更新　一式
⑶　調達方法　購入等
⑷　導入予定時期　平成32年度４月以降
⑸　調達に必要とされる基本的な要求要件　東京工業大学すずかけ台キャンパス液化室のヘリウム回収・圧縮・液化設備の更新が、効率的かつ安全な一連のヘリウム液化作業、ならびに液体ヘリウムを使用する研究者への十分な供給量を確保するために必要である。本調達によりヘリウム回収・圧縮・液化設備の一部機器について、下記の更新を行う。
①　Ｓ７棟　ヘリウム液化機､液化用圧縮機､三重管トランスファーチューブ
②　Ｓ７棟　中圧ガスドライヤー､油分離器､バッファータンク
③　Ｓ７棟　長尺カードル、超高真空排気装置、小分け容器
④　前記した①―③の試験運転に必要な消耗品（ヘリウムガス等）
2　資料及びコメントの提供方法　上記１⑵の物品に関する一般的な参考資料及び同⑸の要求要件等に関するコメント並びに提供可能なライブラリーに関する資料等の提供を招請する。
⑴　資料等の提供期限　平成31年１月28日17時00分（郵送の場合は必着のこと。）
⑵　提供先　〒226―8503 神奈川県横浜市緑区長津田町4259　東京工業大学すずかけ台地区事務部会計課調達グループ　境　繁頼　電話045―924―5915
3　説明書の交付　本公表に基づき応募する供給者に対して導入説明書を交付する。
⑴　交付期間　平成30年12月28日から平成31年１月28日まで。
⑵　交付場所　上記２⑵に同じ。
4　その他　この導入計画の詳細は導入説明書による。なお、本公表内容は予定であり、変更することがあり得る。
5　Summary
⑴　Classification of the products to be procured : 24
⑵　Nature and quantity of the products to be purchased : Replacing the existing He Liquefier and associated peripheral instruments, including consumption materials sufficient for testing the system composed of these instruments 1 Set
⑶　Type of the procurement : Purchase
⑷　Basic requirements of the procurement : The Helium recovery facility at Tokyo Institute of Technology Suzukakedai campus will place the order to procure and replace the following instruments :
①　a He liquefier, a liquefier compressor, and a vacuum-jacket transfer tube to be placed in the S7 building ;
②　a medium pressure gas dryer, an oil separator, and medium pressure buffer tank to be placed in the S7 building ;
③　a long curdle, ultra-high vacuum pumping station, and liq. He subdivision container to be placed in the S7 building ;
④　consumption materials (such as He gas) sufficient for testing the system composed of ①―③.
⑸　Time limit for the submission of the requested material : 17 : 00　28 January, 2019
⑹　Contact point for the notice : Shigeyori Sakai, Suzukakedai Administration Office, Accounting Division, Tokyo Institute of Technology, 4259 Nagatsuta-cho Midori-ku Yokohama-shi 226―8503 Japan, TEL 045―924―5915