4　Summary
⑴　Classification of the products to be procured : 22, 31
⑵　Nature and quantity of the products to be purchased : Magnetic Resonance Imaging equipment 1 Set
⑶　Type of the Procurement : purchase
⑷　Basic requirements of the Procurement :
①　It should have Magnetic Resonance Imaging equipment set, all standard attachments and all optional attachments.
②　Performance of the system :
Ⓐ　It should be a 3.0 Tesla scanner.
Ⓑ　It should be connected with existing PACS and RIS.
Ⓒ　It should have high resolution imaging and fast imaging techniques.
③　Others
Ⓐ　It should be highly safe and easy to be operated.
Ⓑ　It should be able to be upgraded in the future.
⑸　Time limit for the submission of the requested material : 17 : 00　25, April, 2019
⑹　Contact point for the notice : Shinichi Ozaki, General Affairs and Planning, Administrative Department, National Defense Medical College Hospital, 3―2 Namiki Tokorozawashi Saitama 359―8513 Japan TEL 04―2995―1511 (ext. 3017)

資料提供招請に関する公表

次のとおり物品の導入を予定していますので、当該導入に関して資料等の提供を招請します。
平成31年3月11日
防衛省海上幕僚長　村川　　豊
◎調達機関番号　010　◎所在地番号　13
1　調達内容
⑴　品目分類番号　14、28
⑵　導入計画物品及び数量
医事会計処理装置　一式
⑶　調達方法　購入等
⑷　導入予定時期　平成32年4月以降
⑸　調達に必要とされる基本的な要求要件
①　本装置は、自衛隊横須賀病院における診療業務及び経営管理業務を統合的に支援するためのもので、医事会計システム・電子カルテ・オーダリングシステム・部門システム（看護支援システム、検査システム、放射線管理システム等）の業務全般にわたり統合的に管理できる装置であること。
②　本装置は、患者基本情報、診療情報、画像情報等を円滑に交換でき、そのために必要な国際的な標準規格に準拠した通信規格、データ形式を提供すること。
③　本装置は、要求機能を達成するために十分なデータ処理機器、端末、ネットワークを有すること。
④　プライバシーの保護及びセキュリティ対策が十分なされていること。
⑤　メンテナンス、サービス体制に優れていること。
2　資料及びコメントの提供方法
上記1⑵の物品に関する一般的な参考資料及び同⑸の要求要件等に関するコメント並びに提供可能なライブラリーに関する資料等の提供を招請する。
⑴　資料等の提供期限　平成31年4月26日17時00分（郵送の場合は必着のこと。）
⑵　提供先　〒162―8803 東京都新宿区市谷本村町5－1　防衛省海上幕僚監部衛生企画室衛生官（薬務担当）林崎　博人　電話03―3268―3111　内線50081
3　Summary
⑴　Classification of the products to be procured ; 14, 28
⑵　Nature and quantity of the products to be purchased : Medical Accounting Processing unit 1 set
⑶　Type of procurement : Purchase
⑷　Introductory schedule time : After April 2020
⑸　Basic requirements of the procurement :
①　This unit should support both medical service and business management in Japan Self Defense Force Hospital Yokosuka. It should integrally control the Medical affairs accounting system, the electronic health record system, the ordering system and the systems of each other department (Nursing support system, Clinical, Inspection system, Radiation control system, etc)
②　It should provide the communication protocols and data format conforming to the international standards, and will smoothly exchange the patient information, medical care records and images and so on.
③　To archive a required function, this unit has enough capacity of data processing, enough number of terminals and networks with sufficient function.
④　This unit should take enough measures for the protection of privacy and the security.
⑤　It should be supported by the reliable maintenance and aftercare services.
⑹　How to provide materials and comments : We will invite general reference materials on the purchase of ⑵ above and comments on the requirements requirement etc. of ⑸ above and materials etc.
①　Time-limit for the submission of the requested material : 5 : 00 P.M. 26 April, 2019
②　Contact point for the notice : Hiroto Hayashizaki, Procurement Officer, Medical Planning Div., Maritime Staff Office, Ministry of Defense, 5―1 Ichigaya-honmuracho Shinjuku-ku Tokyo 162―8803, Japan. TEL 03―3268―3111 ext. 50081

資料提供招請に関する公表

次のとおり物品の導入を予定していますので、当該導入に関して資料等の提供を招請します。
平成31年3月11日
国立研究開発法人理化学研究所
契約業務部長　川鍋　　隆
◎調達機関番号　814　◎所在地番号　11
○30 第100号
1　調達内容
⑴　品目分類番号　71、28
⑵　導入計画物品及び数量　理化学研究所ネットワークシステム　一式
⑶　調達方法　借入
⑷　導入目的　国立研究所理化学研究所（以下「研究所」という。）のネットワークはキャンパスＬＡＮとそれらを接続する広域ネットワークおよびインターネット接続を行うWANシステムによって構成されている。2015年に研究所の４事業所（筑波、和光（仙台、名古屋、他を含む）、横浜、神戸（一部を除く））で一括調達・運用を実施し、今回も更に範囲を広げて、次期ネットワークシステム（以下「本システム」という。）の導入を計画している。本システムは原則として現行システムと同一サービスを継続するが、システムの再設計によるセキュリティ強化、運用・保守品質の改善を行う。本調達では、前述した研究所における研究で必要とされるネットワークサービスを利用者に提供するために、本システムを導入するものである。
⑸　導入予定時期　平成32年（2020年）第３四半期以降
⑹　調達に必要とされる基本的な要求要件　今回導入を計画する本システムの満たすべき要件は以下のとおりである。
Ａ　本システムの要件
Ａ－１　研究所の対象地区にイントラネット／インターネット接続サービス、ＤＮＳ／ＤＨＣＰサービス、統一ＳＳＩＤの無線ＬＡＮサービス、ＶＰＮサービスを提供できること。
Ａ－２　耐障害性をもち、安定してサービスを提供できるシステムとすること。
Ａ－３　デバイスや利用者レベルで証明書や個人を対象とした柔軟な認証（多要素含む）を行い、セキュリティエリアを分割し、アクセス管理できること。
Ａ－４　運用保守の全期間を通じて常に積極的にサービスのセキュリティ強化、運用・保守品質の改善を提案し実施すること。
Ａ－５　キャパシティ要件として、2000個のＶＬＡＮ、40000アカウント以上が扱え、20000ポート以上のダウンリンクを提供できること。
Ａ－６　地区間およびインターネットとは10Gbpsで接続でき、100Gbpsへのアップグレードも可能であること。