D　本学の職員と、一部教員が利用するGoogleAppsを連携させたグループウェアを整備すること。
E　ＰＣ教室の共用端末の起動時間を大幅に短縮し、世代管理を容易に実施できる環境を整備すること。
F　学内所蔵の図書資料を公開し、かつ貸出等の図書館業務を効率化できる環境を整備すること。
G　障害時に日本語・英語で迅速で柔軟な対応ができる語学力、技術力を有するサポート体制を提供すること。
H　キャンパスネットワークシステムに関する保守体制を構築するとともに、学内からのＰＣ等（ハードウェア、ソフトウェア両方）に関する各種の質問に対して直接対応を行うことのできるヘルプデスク機能を提供すること。

2　資料及びコメントの提供方法　上記１⑵の物品に関する一般的な参考資料及び同⑸の要求要件等に関するコメント並びに提供可能なライブラリーに関する資料等の提供を招請する。
⑴　資料等の提供期限　令和２年７月８日17時00分（郵送の場合は必着のこと。）
⑵　提供先　〒106―8677　東京都港区六本木７―22―１　政策研究大学院大学財務マネジメント課経理・契約担当　山岸　由尚　電話03―6439―6029
メール　keiyaku-ml@grips.ac.jp

3　説明書の交付　本公表に基づき応募する供給者に対して導入説明書を交付する。
⑴　交付期間　令和２年６月８日から令和２年７月８日まで。
⑵　交付場所　上記２⑵に同じ。
交付希望日及び郵送を希望する場合は事前にメールまたは電話で連絡をすること。

4　その他　この導入計画の詳細は導入説明書による。なお、本公表内容は予定であり、変更することがあり得る。

5　Summary
⑴　Classification of the products to be procured : 15, 29
⑵　Nature and quantity of the products to be rent : GRIPS Campus Network System 1 Set
⑶　Type of the procurement : Rent
⑷　Basic requirements of the procurement :
A　Common system requirements
a　The system must be reliable and highly available so that it can operate stably 24 hours a day, 365 days a year.
b　The system has been introduced to national university corporations and is highly maintainable, with due consideration given to its operation.
c　Do not include any products that may pose a threat to Japan's security in the system proposal.
d　Whether it is a terminal we manage or a terminal we do not manage, the system must be highly secure and considerate of convenience so that Faculty Members, Staff Member, students, guests, etc. can use smartphones, Macs, etc. on the campus.
B　The system configuration is high in maintainability so that we can perform our business smoothly at high speed utilizing SINET5, data centers, etc., even in times of disaster, etc.
C　The backbone network system shall have a communication bandwidth of 10 Gbps or more, be equipped with a high-speed wireless LAN network configuration such as IEEE 802.11 ac, and be usable without stress even if the number of users increases.
D　Groupware must work with software (GoogleApps) used by Staff Member and some Faculty Members.
E　Provided is an environment in which the start-up time of a shared terminal in a PC classroom can be significantly shortened and generation management can be easily performed.
F　Open the library materials owned by the university to the public, and develop an environment in which library operations such as lending can be made efficient.
G　Provide a support system with language ability and technical ability to respond quickly and flexibly to problems in Japanese and English.
H　A maintenance system for the H-campus network system shall be established, and a help desk function shall be provided that enables direct response to various questions from the campus regarding PCs, etc. (Both hardware and software).
⑸　Time limit for the submission of the requested material : 17 : 00　8 July, 2020
⑹　Contact point for the notice : Yamagishi Yukinao, Procurement Section, Finance Division, National Graduate Institute for Policy Studies, 7―22―1 Roppongi Minato-ku Tokyo 106―8677 Japan, TEL 03―6439―6029 Mail keiyaku-ml@grips.ac.jp

資料提供招請に関する公表

次のとおり物品の導入を予定していますので、当該導入に関して資料等の提供を招請します。
令和２年６月８日
国立大学法人浜松医科大学
理事　田中　宏和

◎調達機関番号　415　◎所在地番号　22

○第４号

1　調達内容
⑴　品目分類番号　22、31
⑵　導入計画物品及び数量　包装品用高圧蒸気滅菌器　一式
⑶　調達方法　購入等
⑷　導入予定時期　令和２年度１月以降
⑸　調達に必要とされる基本的な要求要件
A　事前真空方式大型高圧蒸気滅菌装置
a　高圧蒸気滅菌装置本体　４台
b　コンプレッサー　３台
c　装置管理システム　２台
d　フロアーローディングカート　８台
B　内缶、給蒸回路配管はステンレス製であること。
C　内缶容積は1200リットル以上であること。
D　現有するローディングカートが使用できること。
E　ＵＳＢデータ取り出し可能で滅菌管理システムに接続可能であること。

2　資料及びコメントの提供方法　上記１⑵の物品に関する一般的な参考資料及び同⑸の要求要件等に関するコメント並びに提供可能なライブラリーに関する資料等の提供を招請する。
⑴　資料等の提供期限　令和２年７月27日17時00分（郵送の場合は必着のこと。）
⑵　提供先　〒431―3192　浜松市東区半田山１―20―１　浜松医科大学病院経営支援課専門職員　外山　博之　電話053―435―2553

3　説明書の交付　本公表に基づき応募する供給者に対して導入説明書を交付する。
⑴　交付期間　令和２年６月８日から令和２年７月27日まで。
⑵　交付場所　上記２⑵に同じ。

4　説明会の開催　本公表に基づく導入説明会を開催する。
⑴　開催日時　令和２年６月10日13時30分
⑵　開催場所　浜松医科大学管理棟２階第二会議室

5　その他　この導入計画の詳細は導入説明書による。なお、本公表内容は予定であり、変更することがあり得る。

6　Summary
⑴　Classification of the products to be procured : 22, 31
⑵　Nature and quantity of the products to be purchased : Steam Sterilizer 1 Set
⑶　Type of the procurement : Purchase
⑷　Basic requirements of the procurement :
A　Steam sterilizer with pre-vacuum method, large model
a　Steam Sterilizer 4 Units
b　Compressor 3 Sets
c　Sterilizer and washer management system 2 Sets
d　Floor loading cart 8 Sets
B　Chamber and steam supply piping materials shall be stainless steel.
C　Chamber volume shall be 1200L or above.
D　Current loading cart shall be fit for use.
E　Date retrieval via USB memory stick, and connection with the sterilizer management system shall be made available.