| HS Code | Product Description | Base Rate | Year 1 | Year 2 | Year 3 | Year 4 | Year 5 | Year 6 | Year 7 | Year 8 | Year 9 | Year 10 | Year 11 | Year 12 | Year 13 | Year 14 | Year 15 | Year 16 | Year 17 | Year 18 | Year 19 | Year 20 | Year 21 and Subsequent Years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **9017** | **Drawing, marking-out or mathematicalcalculating instruments(for example, drafting machines, pantographs, protractors, drawing sets, slide rules, disc calculators);instruments for measuring length, for use in the hand(for example, measuring rods and tapes, micrometers, callipers), not specified or included else-where in this Chapter:** | | | | | | | | | | | | | | | | | | | | | | |
| 9017.10.00 | -Drafting tables and machines, whether or not automatic | 8.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9017.20.00 | -Other drawing, marking-out or mathematical calculating instruments | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9017.30.00 | -Micrometers, callipers and gauges | 8.0% | 7.2% | 6.4% | 5.6% | 4.8% | 4.0% | 3.2% | 2.4% | 1.6% | 0.8% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9017.80.00 | -Other instruments | 8.0% | 7.2% | 6.4% | 5.6% | 4.8% | 4.0% | 3.2% | 2.4% | 1.6% | 0.8% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9017.90.00 | -Parts and accessories | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| **9018** | **Instruments and appliances used in medical, surgical, dental or veterinary sciences, including scintigraphic apparatus, other electro-medical apparatus and sight-testing instruments:** | | | | | | | | | | | | | | | | | | | | | | |
| 9018.1 | -Electro-diagnostic apparatus(including apparatus for functional exploratory examination or for checking physiological parameters): | | | | | | | | | | | | | | | | | | | | | | |
| 9018.11.00 | --Electro-cardiographs | 5.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.12 | --Ultrasonic scanning apparatus: | | | | | | | | | | | | | | | | | | | | | | |
| 9018.12.10 | ---B-ultrasonic diagnostic equipment | 7.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.12.9 | ---Other: | | | | | | | | | | | | | | | | | | | | | | |
| 9018.12.91 | ----Chromoscope ultrasonic diagnostic equipment | 5.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.12.99 | ----Other | 5.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.13 | --Magnetic resonance imaging apparatus: | | | | | | | | | | | | | | | | | | | | | | |
| 9018.13.10 | ---Complete set of appartus | 4.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.13.90 | ---Parts | 4.0% | 3.6% | 3.2% | 2.8% | 2.4% | 2.0% | 1.6% | 1.2% | 0.8% | 0.4% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.14.00 | --Scintigraphic apparatus | 5.0% | 4.5% | 4.0% | 3.5% | 3.0% | 2.5% | 2.0% | 1.5% | 1.0% | 0.5% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.19 | --Other: | | | | | | | | | | | | | | | | | | | | | | |
| 9018.19.30 | ---Paient monitors: | 4.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.19.4 | ---Audio-diagnostic apparatus: | | | | | | | | | | | | | | | | | | | | | | |
| 9018.19.41 | ----Audiometer | 4.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.19.49 | ----Other | 4.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.19.90 | ---Other | 4.0% | 3.6% | 3.2% | 2.8% | 2.4% | 2.0% | 1.6% | 1.2% | 0.8% | 0.4% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.20.00 | -Ultra-violet or infra-red ray apparatus | 4.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.3 | -Syringes, needles, catheters, cannulae and the like: | | | | | | | | | | | | | | | | | | | | | | |

| HS Code | Product Description | Base Rate | Year 1 | Year 2 | Year 3 | Year 4 | Year 5 | Year 6 | Year 7 | Year 8 | Year 9 | Year 10 | Year 11 | Year 12 | Year 13 | Year 14 | Year 15 | Year 16 | Year 17 | Year 18 | Year 19 | Year 20 | Year 21 and Subsequent Years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 9018.31.00 | --Syringes, with or without needles | 8.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.32 | --Tubular metal needles and needles for sutures: | | | | | | | | | | | | | | | | | | | | | | |
| 9018.32.10 | ---Tubular metal needles | 8.0% | 7.2% | 6.4% | 5.6% | 4.8% | 4.0% | 3.2% | 2.4% | 1.6% | 0.8% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.32.20 | ---Needles for sutures | 4.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.39.00 | --Other | 4.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.4 | -Other instruments and appliances, used in dental sciences: | | | | | | | | | | | | | | | | | | | | | | |
| 9018.41.00 | --Dental drill engines, whether or not combined on a single base with other dental equipment | 4.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.49 | --Other: | | | | | | | | | | | | | | | | | | | | | | |
| 9018.49.10 | ---Dentists chairs incorporating dental equipment | 4.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.49.90 | ---Other | 4.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.50.00 | -Other ophthalmic instruments and appliances | 4.0% | 3.6% | 3.2% | 2.8% | 2.4% | 2.0% | 1.6% | 1.2% | 0.8% | 0.4% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.9 | -Other instruments and appliances: | | | | | | | | | | | | | | | | | | | | | | |
| 9018.90.10 | ---Stethoscopes | 4.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.90.20 | ---Sphygmomanometers | 4.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.90.30 | ---Endoscopes | 4.0% | 3.6% | 3.2% | 2.8% | 2.4% | 2.0% | 1.6% | 1.2% | 0.8% | 0.4% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.90.40 | ---Artificial kidney(dialysis)apparatus | 4.0% | 3.6% | 3.2% | 2.8% | 2.4% | 2.0% | 1.6% | 1.2% | 0.8% | 0.4% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.90.50 | ---Diathermy apparatus | 4.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.90.60 | ---Blood transfusion apparatus | 4.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.90.70 | ---Anaesthetic apparatus and instruments | 4.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.90.80 | ---Intrauterine contraceptive device | 4.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9018.90.90 | ---Other | 4.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| **9019** | **Mechano-therapy appliances; massage ap-paratus; psychological aptitudetesting ap-paratus; ozone therapy, oxygen therapy, aerosol therapy, artificial respiration or other therapeutic respiration apparatus:** | | | | | | | | | | | | | | | | | | | | | | |
| 9019.1 | -Mechano-therapy appliances; massage ap-paratus; psychological aptitudetesting ap-paratus: | | | | | | | | | | | | | | | | | | | | | | |
| 9019.10.10 | ---Massage apparatus | 15.0% | 13.5% | 12.0% | 10.5% | 9.0% | 7.5% | 6.0% | 4.5% | 3.0% | 1.5% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9019.10.90 | ---Other | 4.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9019.20.00 | -Ozone therapy, oxygen therapy, aerosol therapy, artificial respiration or other therapeutic respiration apparatus | 4.0% | 3.6% | 3.2% | 2.8% | 2.4% | 2.0% | 1.6% | 1.2% | 0.8% | 0.4% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| **9020** | **Other breathing appliances and gas masks, excluding protective masks having neither mechanical parts nor replaceable filters:** | | | | | | | | | | | | | | | | | | | | | | |