| HS Code | Product Description | Base Rate | Year 1 | Year 2 | Year 3 | Year 4 | Year 5 | Year 6 | Year 7 | Year 8 | Year 9 | Year 10 | Year 11 | Year 12 | Year 13 | Year 14 | Year 15 | Year 16 | Year 17 | Year 18 | Year 19 | Year 20 | Year 21 and Subsequent Years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 9027.90.00 | -Microtomes; parts and accessories | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| **9028** | **Gas, liquid or electricity supply or production meters, including calibrating meters therefor:** | | | | | | | | | | | | | | | | | | | | | | |
| 9028.1 | -Gas meters: | | | | | | | | | | | | | | | | | | | | | | |
| 9028.10.10 | ---Coal gas meters | 10.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9028.10.90 | ---Other | 10.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9028.2 | -Liquid meters: | | | | | | | | | | | | | | | | | | | | | | |
| 9028.20.10 | ---Water meters | 10.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9028.20.90 | ---Other | 10.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% |
| 9028.3 | -Electricity meters: | | | | | | | | | | | | | | | | | | | | | | |
| 9028.30.1 | ---Watt-hour meter: | | | | | | | | | | | | | | | | | | | | | | |
| 9028.30.11 | ----Single-phase induction | 10.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9028.30.12 | ----Triple-phase induction | 10.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9028.30.13 | ----Single-phase static | 10.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9028.30.14 | ----Triple-phase static | 10.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9028.30.19 | ----Other | 10.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9028.30.90 | ---Other | 10.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9028.9 | -Parts and accessories: | | | | | | | | | | | | | | | | | | | | | | |
| 9028.90.10 | ---For technical use | 8.4% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9028.90.90 | ---Other | 8.4% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| **9029** | **Revolution counters, production counters, taximeters, mileometers, pedometers and the like;speed indicators and tachometers, other than those of heading No.90.14 or 90.15; stroboscopes:** | | | | | | | | | | | | | | | | | | | | | | |
| 9029.1 | -Revolution counters, production counters, taximeters, mileometers, pedometers and the like: | | | | | | | | | | | | | | | | | | | | | | |
| 9029.10.10 | ---Revolution counters | 15.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9029.10.20 | ---Taximeters and mileometers | 15.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% |
| 9029.10.90 | ---Other | 15.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% |
| 9029.2 | -Speed indicators and tachometers; stroboscopes: | | | | | | | | | | | | | | | | | | | | | | |
| 9029.20.10 | ---Speed indicators for motor vehicles | 10.0% | 9.5% | 9.0% | 8.5% | 8.0% | 7.5% | 7.0% | 6.5% | 6.0% | 5.5% | 5.0% | 4.5% | 4.0% | 3.5% | 3.0% | 2.5% | 2.0% | 1.5% | 1.0% | 0.5% | 0.0% | 0.0% |
| 9029.20.90 | ---Other | 10.0% | 9.0% | 8.0% | 7.0% | 6.0% | 5.0% | 4.0% | 3.0% | 2.0% | 1.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9029.90.00 | -Parts and accessories | 6.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% |
| **9030** | **Oscilloscopes, spectrum analysers and other instruments and apparatus for measuring or checking eclectrical quantities, excluding meters of heading No.90.28;instruments and apparatus for measuring or detecting alpha, beta, gamma, X-ray, cosmic or other ionizing radiations:** | | | | | | | | | | | | | | | | | | | | | | |
| 9030.10.00 | -Instruments and apparatus for measuring or detecting ionizing radiations | 5.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9030.2 | -Oscilloscopes and oscillographs: | | | | | | | | | | | | | | | | | | | | | | |
| 9030.20.10 | ---For general use, of test frequency less than 300MHz | 8.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9030.20.90 | ---Other | 5.0% | 4.5% | 4.0% | 3.5% | 3.0% | 2.5% | 2.0% | 1.5% | 1.0% | 0.5% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9030.3 | -Other instruments and apparatus, for measuring or checking voltage, current, resistance or power: | | | | | | | | | | | | | | | | | | | | | | |
| 9030.31 | --Multimeters without a recording device: | | | | | | | | | | | | | | | | | | | | | | |

| HS Code | Product Description | Base Rate | Year 1 | Year 2 | Year 3 | Year 4 | Year 5 | Year 6 | Year 7 | Year 8 | Year 9 | Year 10 | Year 11 | Year 12 | Year 13 | Year 14 | Year 15 | Year 16 | Year 17 | Year 18 | Year 19 | Year 20 | Year 21 and Subsequent Years |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 9030.31.10 | ---Digital, of measuring range of 51/2 or less | 15.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9030.31.90 | ---Other | 5.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9030.32.00 | --Multimeters with a recording device | 8.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9030.33 | --Other, without a recording device: | | | | | | | | | | | | | | | | | | | | | | |
| 9030.33.10 | ---Digital ammeters or voltmeters, of measuring rang of 5 1/2 or less | 15.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9030.33.20 | ---Resistance measuring instruments | 14.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% |
| 9030.33.90 | ---Other | 9.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% | 5.0% |
| 9030.39.00 | --Other, with a recording device | 8.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9030.4 | -Other instruments and apparatus, specially designed for telecommunications(for example, cross-talk meters, gain measuring instruments, distortion factor meters, psophometers): | | | | | | | | | | | | | | | | | | | | | | |
| 9030.40.10 | ---Digital frequency meters, of test frequency less than 12.4GHz | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9030.40.90 | ---Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9030.8 | -Other instruments and apparatus: | | | | | | | | | | | | | | | | | | | | | | |
| 9030.82.00 | --For measuring or checking semiconductor wafers or devices | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9030.84 | --Other, with a recording device: | | | | | | | | | | | | | | | | | | | | | | |
| 9030.84.10 | ---For measuring inductances or capacitances | 10.0% | 9.0% | 8.0% | 7.0% | 6.0% | 5.0% | 4.0% | 3.0% | 2.0% | 1.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9030.84.90 | ---Other | 8.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9030.89 | --Other: | | | | | | | | | | | | | | | | | | | | | | |
| 9030.89.10 | ---For measuring inductances or capacitances | 14.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9030.89.90 | ---Other | 8.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9030.90.00 | -Parts and accessories | 7.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| **9031** | **Measuring or checking instruments, appliances and machines, not specified or included elsewhere in this Chapter; profile projectors:** | | | | | | | | | | | | | | | | | | | | | | |
| 9031.10.00 | -Machines for balancing mechanical parts | 7.0% | 6.3% | 5.6% | 4.9% | 4.2% | 3.5% | 2.8% | 2.1% | 1.4% | 0.7% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9031.20.00 | -Test benches | 7.0% | 6.3% | 5.6% | 4.9% | 4.2% | 3.5% | 2.8% | 2.1% | 1.4% | 0.7% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9031.4 | -Other optical instruments and appliances: | | | | | | | | | | | | | | | | | | | | | | |
| 9031.41.00 | --For inspecting semiconductor wafers or devices or for inspecting photomasks or reticles used in manufacturing semiconductor devices | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9031.49 | --Other: | | | | | | | | | | | | | | | | | | | | | | |
| 9031.49.10 | ---Profile projectors | 10.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9031.49.20 | ---Grating measuring instrument | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9031.49.90 | ---Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9031.8 | -Other instruments, appliances and machines: | | | | | | | | | | | | | | | | | | | | | | |
| 9031.80.10 | ---Optical telecommunication and optical fibre performance testing instruments | 5.0% | 4.5% | 4.0% | 3.5% | 3.0% | 2.5% | 2.0% | 1.5% | 1.0% | 0.5% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9031.80.20 | ---Coordinate measuring machine | 5.0% | 4.5% | 4.0% | 3.5% | 3.0% | 2.5% | 2.0% | 1.5% | 1.0% | 0.5% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| 9031.80.3 | ---Instrument for nondestructive testing (other than instruments using radiations) | | | | | | | | | | | | | | | | | | | | | | |