AHTN Code	Product Description	Base Rate	Year 1	Year 2	Year 3	Year 4	Year 5	Year 6	Year 7	Year 8	Year 9	Year 10	Year 11	Year 12	Year 13	Year 14	Year 15	Year 16	Year 17	Year 18	Year 19	Year 20 and Subsequent Years	Remarks on Tariff Phasing
	- - - Other:																						
8504.21.92	- - - - Having a power handling capacity exceeding 10 kVA and of a high side voltage of 110 kV or more	15%	15%	15%	15%	15%	15%	13%	13%	13%	10%	10%	10%	7%	7%	7%	5%	5%	5%	5%	5%	5%	
8504.21.93	- - - - Having a power handling capacity exceeding 10 kVA and of a high side voltage of 66 kV or more, but less than 110 kV	15%	15%	15%	15%	15%	15%	13%	13%	13%	10%	10%	10%	7%	7%	7%	5%	5%	5%	5%	5%	5%	
8504.21.99	- - - - Other	15%	15%	15%	15%	15%	15%	13%	13%	13%	10%	10%	10%	7%	7%	7%	5%	5%	5%	5%	5%	5%	
8504.22	- - Having a power handling capacity exceeding 650 kVA but not exceeding 10,000 kVA:																						
	- - - Step-voltage regulators (auto transformers):																						
8504.22.11	- - - - Of a high side voltage of 66 kV or more	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.22.19	- - - - Other	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
	- - - Other:																						
8504.22.92	- - - - Of a high side voltage of 110 kV or more	15%	15%	15%	15%	15%	15%	13%	13%	13%	10%	10%	10%	7%	7%	7%	5%	5%	5%	5%	5%	5%	
8504.22.93	- - - - Of a high side voltage of 66 kV or more, but less than 110 kV	15%	15%	15%	15%	15%	15%	13%	13%	13%	10%	10%	10%	7%	7%	7%	5%	5%	5%	5%	5%	5%	
8504.22.99	- - - - Other	15%	15%	15%	15%	15%	15%	13%	13%	13%	10%	10%	10%	7%	7%	7%	5%	5%	5%	5%	5%	5%	
8504.23	- - Having a power handling capacity exceeding 10,000 kVA:																						
8504.23.10	- - - Having a power handling capacity not exceeding 15,000 kVA	15%	15%	15%	15%	15%	15%	13%	13%	13%	10%	10%	10%	7%	7%	7%	5%	5%	5%	5%	5%	5%	
	- - - Having a power handling capacity exceeding 15,000 kVA:																						
8504.23.21	- - - - Not exceeding 20,000 kVA	15%	15%	15%	15%	15%	15%	13%	13%	13%	10%	10%	10%	7%	7%	7%	5%	5%	5%	5%	5%	5%	
8504.23.22	- - - - Exceeding 20,000 kVA but not exceeding 30,000 kVA	15%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.23.29	- - - - Other	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
	- Other transformers:																						
8504.31	- - Having a power handling capacity not exceeding 1 kVA:																						
	- - - Instrument potential transformers:																						
8504.31.11	- - - - With a voltage rating of 110 kV or more	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.31.12	- - - - With a voltage rating of 66 kV or more, but less than 110 kV	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.31.13	- - - - With a voltage rating of 1 kV or more, but less than 66 kV	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.31.19	- - - - Other	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
	- - - Instrument current transformers:																						
	- - - - With a voltage rating of 110 kV or more:																						
8504.31.21	- - - - - Ring current transformers with a voltage rating not exceeding 220 kV	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.31.22	- - - - - Other	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.31.23	- - - - With a voltage rating of 66 kV or more, but less than 110 kV	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.31.24	- - - - With a voltage rating of 1 kV or more, but less than 66 kV	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.31.29	- - - - Other	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.31.30	- - - Flyback transformers	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.31.40	- - - Intermediate frequency transformers	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
	- - - Other:																						
8504.31.91	- - - - Of a kind used with toys, scale models or similar recreational models	10%	8%	8%	7%	7%	6%	6%	5%	5%	4%	4%	3%	3%	2%	2%	0%	0%	0%	0%	0%	0%	
8504.31.92	- - - - Other matching transformers	10%	8%	8%	7%	7%	6%	6%	5%	5%	4%	4%	3%	3%	2%	2%	0%	0%	0%	0%	0%	0%	
8504.31.99	- - - - Other	10%	8%	8%	7%	7%	6%	6%	5%	5%	4%	4%	3%	3%	2%	2%	0%	0%	0%	0%	0%	0%	
8504.32	- - Having a power handling capacity exceeding 1 kVA but not exceeding 16 kVA:																						
	- - - Instrument transformers (potential and current) of a power handling capacity not exceeding 5 kVA:																						
8504.32.11	- - - - Matching transformers	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.32.19	- - - - Other	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.32.20	- - - Other, of a kind used with toys, scale models or similar recreational models	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.32.30	- - - Other, having a minimum frequency of 3 MHz	10%	8%	8%	7%	7%	6%	6%	5%	5%	4%	4%	3%	3%	2%	2%	0%	0%	0%	0%	0%	0%	
	- - - Other, of a power handling capacity not exceeding 10 kVA:																						

AHTN Code	Product Description	Base Rate	Year 1	Year 2	Year 3	Year 4	Year 5	Year 6	Year 7	Year 8	Year 9	Year 10	Year 11	Year 12	Year 13	Year 14	Year 15	Year 16	Year 17	Year 18	Year 19	Year 20 and Subsequent Years	Remarks on Tariff Phasing
8504.32.41	- - - - Matching transformers	10%	8%	8%	7%	7%	6%	6%	5%	5%	4%	4%	3%	3%	2%	2%	0%	0%	0%	0%	0%	0%	
8504.32.49	- - - - Other	10%	8%	8%	7%	7%	6%	6%	5%	5%	4%	4%	3%	3%	2%	2%	0%	0%	0%	0%	0%	0%	
	- - - Other, of a power handling capacity exceeding 10 kVA:																						
8504.32.51	- - - - Matching transformers	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.32.59	- - - - Other	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.33	- - Having a power handling capacity exceeding 16 kVA but not exceeding 500 kVA:																						
	- - - Of a high side voltage of 66 kV or more:																						
8504.33.11	- - - - Matching transformers	10%	8%	8%	7%	7%	6%	6%	5%	5%	4%	4%	3%	3%	2%	2%	0%	0%	0%	0%	0%	0%	
8504.33.19	- - - - Other	10%	8%	8%	7%	7%	6%	6%	5%	5%	4%	4%	3%	3%	2%	2%	0%	0%	0%	0%	0%	0%	
	- - - Other:																						
8504.33.91	- - - - Matching transformers	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.33.99	- - - - Other	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.34	- - Having a power handling capacity exceeding 500 kVA:																						
	- - - Having a power handling capacity not exceeding 15,000 kVA:																						
	- - - - Having a power handling capacity exceeding 10,000 kVA and of a high side voltage of 66 kV or more:																						
8504.34.11	- - - - - Matching transformers	10%	8%	8%	7%	7%	6%	6%	5%	5%	4%	4%	3%	3%	2%	2%	0%	0%	0%	0%	0%	0%	
8504.34.12	- - - - - Other	10%	8%	8%	7%	7%	6%	6%	5%	5%	4%	4%	3%	3%	2%	2%	0%	0%	0%	0%	0%	0%	
	- - - - Other:																						
8504.34.13	- - - - - Matching transformers	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.34.14	- - - - - Other	10%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
	- - - Having a power handling capacity exceeding 15,000 kVA:																						
	- - - - Of a high side voltage of 66 kV or more:																						
8504.34.22	- - - - - Matching transformers	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.34.23	- - - - - Other	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
	- - - - Other:																						
8504.34.24	- - - - - Matching transformers	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.34.29	- - - - - Other	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.40	- Static converters:																						
	- - For automatic data processing machines and units thereof, and telecommunications apparatus:																						
8504.40.11	- - - Uninterrupted power supplies (UPS)	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.40.19	- - - Other	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.40.20	- - Battery chargers having a rating exceeding 100 kVA	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.40.30	- - Other rectifiers	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.40.40	- - Inverters	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.40.90	- - Other	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.50	- Other inductors:																						
8504.50.10	- - Inductors for power supplies for automatic data processing machines and units thereof, and for telecommunications apparatus	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.50.20	- - Chip type fixed inductors	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
	- - Other:																						
8504.50.93	- - - Having a power handling capacity not exceeding 2,500 kVA	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.50.94	- - - Having a power handling capacity exceeding 2,500 kVA but not exceeding 10,000 kVA	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.50.95	- - - Having a power handling capacity exceeding 10,000 kVA	7%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.90	- Parts:																						
8504.90.10	- - Of goods of subheading of 8504.10	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
8504.90.20	- - Printed circuit assemblies for the goods of subheading 8504.40.11, 8504.40.19 or 8504.50.10	3%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	
	- - For electrical transformers of a capacity not exceeding 10,000 kVA:																						
8504.90.31	- - - Radiator panels, flat tube radiator assemblies of a kind used for distribution and power transformers	1%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	