HS Code	Product Description	Base rate (%)	Year 1 (%)	Year 2 (%)	Year 3 (%)	Year 4 (%)	Year 5 (%)	Year 6 (%)	Year 7 (%)	Year 8 (%)	Year 9 (%)	Year 10 (%)	Year 11 (%)	Year 12 (%)	Year 13 (%)	Year 14 (%)	Year 15 (%)	Year 16 (%)	Year 17 (%)	Year 18 (%)	Year 19 (%)	Year 20 (%)	Year 21 (%)	Year 22 (%)	Year 23 (%)	Year 24 (%)	Year 25 and Subsequent Years (%)
	- - - Having a power handling capacity exceeding 15,000 kVA:																										
8504.23.21	- - - - Not exceeding 20,000 kVA	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.23.22	- - - - Exceeding 20,000 kVA but not exceeding 30,000 kVA	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.23.29	- - - - Other	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	- Other transformers:																										
8504.31	- - Having a power handling capacity not exceeding 1 kVA:																										
	- - - Instrument potential transformers:																										
8504.31.11	- - - - With a voltage rating of 110 kV or more	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
8504.31.12	- - - - With a voltage rating of 66 kV or more, but less than 110 kV	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	11.3
8504.31.13	- - - - With a voltage rating of 1 kV or more, but less than 66 kV	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	11.3
8504.31.19	- - - - Other	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	15
	- - - Instrument current transformers:																										
	- - - - With a voltage rating of 110 kV or more:																										
8504.31.21	- - - - - Ring current transformers with a voltage rating not exceeding 220 kV	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
8504.31.22	- - - - - Other	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
8504.31.23	- - - - With a voltage rating of 66 kV or more, but less than 110 kV	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	11.3
8504.31.24	- - - - With a voltage rating of 1 kV or more, but less than 66 kV	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	11.3
8504.31.29	- - - - Other	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	15
8504.31.30	- - - Flyback transformers	3	2.8	2.6	2.4	2.2	2	1.8	1.6	1.4	1.2	1	0.8	0.6	0.4	0.2	0	0	0	0	0	0	0	0	0	0	0
8504.31.40	- - - Intermediate frequency transformers	5	4.7	4.3	4	3.7	3.3	3	2.7	2.3	2	1.7	1.3	1	0.7	0.3	0	0	0	0	0	0	0	0	0	0	0
	- - - Other:																										
8504.31.91	- - - - Of a kind used with toys, scale models or similar recreational models	20	18	16	14	12	10	8	6	4	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.31.92	- - - - Other matching transformers	20	18	16	14	12	10	8	6	4	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.31.99	- - - - Other	15	13.5	12	10.5	9	7.5	6	4.5	3	1.5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.32	- - Having a power handling capacity exceeding 1 kVA but not exceeding 16 kVA:																										
	- - - Instrument transformers (potential and current) of a power handling capacity not exceeding 5 kVA:																										
8504.32.11	- - - - Matching transformers	10	9	8	7	6	5	4	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.32.19	- - - - Other	10	9	8	7	6	5	4	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.32.20	- - - Bather, of a kind used with toys, scale models or similar recreational models	20	18	16	14	12	10	8	6	4	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.32.30	- - - Other, having a minimum frequency of 3 MHz	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	- - - Other, of a power handling capacity not exceeding 10 kVA:																										
8504.32.41	- - - - Matching transformers	10	9	8	7	6	5	4	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.32.49	- - - - Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	- - - Other, of a power handling capacity exceeding 10 kVA:																										
8504.32.51	- - - - Matching transformers	10	9	8	7	6	5	4	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.32.59	- - - - Other	10	9	8	7	6	5	4	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.33	- - Having a power handling capacity exceeding 16 kVA but not exceeding 500 kVA:																										
	- - - Of a high side voltage of 66 kV or more:																										
8504.33.11	- - - - Matching transformers	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
8504.33.19	- - - - Other	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
	- - - Other:																										
8504.33.91	- - - - Matching transformers	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
8504.33.99	- - - - Other	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
8504.34	- - Having a power handling capacity exceeding 500 kVA:																										
	- - - Having a power handling capacity not exceeding 15,000 kVA:																										
	- - - - Having a power handling capacity exceeding 10,000 kVA and of a high side voltage of 66 kV or more:																										
8504.34.11	- - - - - Matching transformers	10	9	8	7	6	5	4	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.34.12	- - - - - Other	10	9	8	7	6	5	4	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	- - - - Other:																										

HS Code	Product Description	Base rate (%)	Year 1 (%)	Year 2 (%)	Year 3 (%)	Year 4 (%)	Year 5 (%)	Year 6 (%)	Year 7 (%)	Year 8 (%)	Year 9 (%)	Year 10 (%)	Year 11 (%)	Year 12 (%)	Year 13 (%)	Year 14 (%)	Year 15 (%)	Year 16 (%)	Year 17 (%)	Year 18 (%)	Year 19 (%)	Year 20 (%)	Year 21 (%)	Year 22 (%)	Year 23 (%)	Year 24 (%)	Year 25 and Subsequent Years (%)
8504.34.13	- - - - - Matching transformers	10	9	8	7	6	5	4	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.34.14	- - - - - Other	10	9	8	7	6	5	4	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	- - - Having a power handling capacity exceeding 15,000 kVA:																										
	- - - - Of a high side voltage of 66 kV or more:																										
8504.34.22	- - - - - Matching transformers	10	9	8	7	6	5	4	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.34.23	- - - - - Other	10	9	8	7	6	5	4	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	- - - Other:																										
8504.34.24	- - - - - Matching transformers	10	9	8	7	6	5	4	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.34.29	- - - - - Other	10	9	8	7	6	5	4	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.40	- Static converters:																										
	- - For automatic data processing machines and units thereof, and telecommunications apparatus:																										
8504.40.11	- - - Uninterrupted power supplies (UPS)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.40.19	- - - Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.40.20	- - Battery chargers having a rating exceeding 100 kVA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.40.30	- - Other rectifiers	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.40.40	- - Inverters	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.40.90	- - Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.50	- Other inductors:																										
8504.50.10	- - Inductors for power supplies for automatic data processing machines and units thereof, and for telecommunications apparatus	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.50.20	- - Chip type fixed inductors	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	- - Other:																										
8504.50.93	- - - Having a power handling capacity not exceeding 2,500 kVA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.50.94	- - - Having a power handling capacity exceeding 2,500 kVA but not exceeding 10,000 kVA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.50.95	- - - Having a power handling capacity exceeding 10,000 kVA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.90	- Parts:																										
8504.90.10	- - Of goods of subheading 8504.10	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.90.20	- - Printed circuit assemblies for the goods of subheading 8504.40.11, 8504.40.19 or 8504.50.10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	- - For electrical transformers of a capacity not exceeding 10,000 kVA:																										
8504.90.31	- - - Radiator panels; flat tube radiator assemblies of a kind used for distribution and power transformers	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.90.39	- - - Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	- - For electrical transformers of a capacity exceeding 10,000 kVA:																										
8504.90.41	- - - Radiator panels; flat tube radiator assemblies of a kind used for distribution and power transformers	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.90.49	- - - Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.90.50	- - Other, for inductors of a capacity not exceeding 2,500 kVA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.90.60	- - Other, for inductors of a capacity exceeding 2,500 kVA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8504.90.90	- - Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
85.05	**Electro-magnets; permanent magnets and articles intended to become permanent magnets after magnetisation; electro-magnetic or permanent magnet chucks, clamps and similar holding devices; electro-magnetic couplings, clutches and brakes; electro-magnetic lifting heads.**																										
	- Permanent magnets and articles intended to become permanent magnets after magnetisation:																										
8505.11.00	- - Of metal	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8505.19.00	- - Other	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
8505.20.00	- Electro-magnetic couplings, clutches and brakes	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0