D　電源入力は、機器を正常動作するために必要な電力を供給する機能を有し、冗長構成であること。
E　運用管理面から機器の電源断を実施する場合は、電源ボタンの押下や電源ケーブルの抜去にて簡易に実施できること。コマンド入力等によるシャットダウン処理の手順が必要ないこと。
F　レイヤ２及びレイヤ３に関してスイッチング能力を有すること。
G　IPv４（以下ＩＰと記述）対応の機能を有すること。
H　IPv６のルーティング処理する機能を有すること。
I　IEEE802.3xに準拠したフロー制御機能を有すること。
J　同一速度の複数の物理ポートを束ねて、１つの論理ポートとして利用する機能を有すること。
K　ＩＰルーティング・プロトコルとして、Static、ＲＩＰ　Ｖ１／Ｖ２、ＯＳＰＦ、BGPv４、ＥＩＧＲＰ、を有すること。
L　IEEE802.1ｑに準拠したＶＬＡＮ Tagging機能を有すること。
M　物理ポート単位にＶＬＡＮを構成する機能を有すること。
N　同一ＶＬＡＮ内トラフィックに対してアクセスリストを用いアクセスを制限する機能を有すること。
O　ＩＰ、ＴＣＰ／ＵＤＰで仕分けされたトラフィックの流量を制限する機能を有すること。
P　動作上限温度が40度以上であること。
Q　ＳＦＰ／ＳＦＰ＋に対応したインターフェースを40ポート以上有すること。
R　本装置をリモートで装置監視・構成管理・定義変更・基本ソフトウェアを変更する機能を有すること。
S　メンテナンス用のコンソールポートを有すること。またTelnetによるリモート・コンソール機能も有すること。
T　トラフィック解析のためのポートのミラーリング機能を有すること。
U　ＮＴＰクライアント機能を有すること。
V　Syslog機能を有すること。

2　資料及びコメントの提供方法　上記１⑵の物品に関する一般的な参考資料及び同⑸の要求要件等に関するコメント並びに提供可能なライブラリーに関する資料等の提供を招請する。
⑴　資料等の提供期限　令和３年９月６日17時00分（郵送の場合は必着のこと。）
⑵　提供先　〒860―8556 熊本市中央区本荘１－１－１　熊本大学病院事務部経理課　鹿子生誠二　電話096―373―5938
3　説明書の交付　本公表に基づき応募する供給者に対して導入説明書を交付する。
⑴　交付期間　令和３年８月６日から令和３年９月６日まで。
⑵　交付場所　上記２⑵に同じ。
4　説明会の開催　本公表に基づく導入説明会を開催する。
⑴　開催日時　令和３年８月17日15時00分
⑵　開催場所　熊本大学病院管理棟３階第三会議室
5　その他　この導入計画の詳細は導入説明書による。なお、本公表内容は予定であり、変更することがあり得る。
6　Summary
⑴　Classification of the products to be procured : 14, 27
⑵　Nature and quantity of the products to be rent : Hospital Information Network System 1 Set
⑶　Type of the procurement : Rent
⑷　Basic requirements of the procurement :
A　Must be a layer 3 switch.
B　It is a rack mount type compatible with 19-inch racks and must be 1U or less in size.
C　For the main switch, virtualize two units into one.
D　The power input has a function to supply the power required for normal operation of the equipment, and has a redundant configuration.
E　When powering off the equipment from the aspect of operation management, it can be done by pressing the power button or disconnecting the power cable. There is no need for shutdown processing procedures such as command input.
F　Have switching capability for layer 2 and layer 3.
G　Must have a function compatible with IPv4 (hereinafter referred to as IP).
H　Have a function to process IPv6 routing.
I　Have a flow control function that complies with IEEE802.3x.
J　Having the function of bundling multiple physical ports of the same speed and using them as one logical port.
K　Have Static, RIP, V1／V2, OSPF, BGPv4, EIGRP as IP routing protocols.
L　Must have a VLAN Tagging function that conforms to IEEE802.1q.
M　Have a function to configure a VLAN for each physical port.
N　Have a function to restrict access to traffic in the same VLAN using an access list.
O　Have a function to limit the flow rate of traffic sorted by IP and TCP／UDP.
P　The maximum operating temperature is 40 degrees or higher.
Q　Have 40 or more ports of SFP／SFP+ compatible interfaces.
R　The device shall have the functions of remote device monitoring, configuration management, definition change, and basic software change.
S　Have a console port for maintenance. In addition, it has a remote console function by Telnet.
T　Have a port mirroring function for traffic analysis.
U　Have an NTP client function.
V　Have a Syslog function.
⑸　Time limit for the submission of the requested material : 17 : 00　6　September, 2021
⑹　Contact point for the notice : Kakoh Seiji, Accounting Division, Hospital Administration Office, Kumamoto University, 1―1―1 Honjo, Chuo-ku, Kumamoto-shi 860―8556 Japan, TEL 096―373―5938

意見招請に関する公示

次のとおり調達物品の仕様書案の作成が完了したので、仕様書案に対する意見を招請します。
令和３年８月６日
支出負担行為担当官
衆議院庶務部会計課長　奥川　陽一
◎調達機関番号　001　◎所在地番号　13
1　調達内容
⑴　品目分類番号　14、71、27
⑵　借入件名及び数量
令和３年度衆議院ＬＡＮ用サーバ機器一式借入
2　意見の提出方法
⑴　意見の提出期限　令和３年８月26日17時00分（郵送の場合は必着のこと。）
⑵　提出先　〒100―0014 東京都千代田区永田町１－７－１　衆議院庶務部電気施設課契約係　蛭子貞一郎　電話03―3581―5111　内線35300
3　意見招請要項等の交付
⑴　交付期間　令和３年８月６日から令和３年８月26日まで。
⑵　交付場所　上記２⑵に同じ。
⑶　交付方法　意見招請要項等の交付を希望する者は、⑴の期間内にＣＤ－Ｒ（未使用のもの）を持参又はＣＤ－Ｒと所定の郵便料金分の切手を貼付けした返信用封筒を郵送することとし、持参又は郵送したＣＤ－Ｒに意見招請要項等の電子ファイルを複製したものを無償で交付する。なお、電送によるものは受け付けない。また、交付希望者は必ず事前に上記２⑵に連絡すること。郵送する場合は、簡易書留、レターパック等の追跡可能な郵便で、交付期間の最終日時までに必ず到着するように発送すること。
4　Summary
⑴　Classification of the services to be procured : 14, 71, 27
⑵　Nature and quantity of the services to be leased : A set of server equipment for the House of Representatives LAN
⑶　Time limit for the submission of comments : 17 : 00, 26 August, 2021
⑷　Contact point for the notice : EBISU Teiichiroh, Contract Section, Electric Equipment Division, General Affairs Department, House of Representatives, 1―7―1 Nagata-cho, Chiyoda-ku, Tokyo 100―0014, Japan. Tel. 03―3581―5111 ext. 35300