(4) Basic requirements of the procurement :
A The surgical operation cockpit should be able to display 3D images without using special glasses.
B The surgical robot arm unit shall have an instrument arm and a camera arm.
C The 3D image system shall have one set of endoscopes and one set of camera control units.
D The training forceps are made of a material that can be washed and sterilized 10 times and can withstand repeated use, and the clinical forceps accessories should have a sterilization cover to be attached to the surgical arm.
E The high frequency surgical device should be connectable to dedicated forceps that can output monopolar and bipolar respectively.
F The simulation training system should be a system that allows you to learn the basic operations of equipment in virtual space.
(5) Time limit for the submission of the requested material : 17 : 00　1 July, 2022
(6) Contact point for the notice : Takashi Osaki, Hospital Procurement Section, Accounting and Procurement Division, Yonago Administration Office, Tottori University, 36―1 Nishi－cho Yonago－shi 683―8504 Japan, TEL 0859―38―7087

資料提供招請に関する公表

次のとおり物品の導入を予定していますので、当該導入に関して資料等の提供を招請します。
令和４年５月16日
国立大学法人大分大学理事　小代　哲也
◎調達機関番号　415　◎所在地番号　44
○第１号
１　調達内容
(1) 品目分類番号　24
(2) 導入計画物品及び数量
可搬式地震動シミュレーター　一式
(3) 調達方法　購入等
(4) 導入予定時期　令和５年３月
(5) 調達に必要とされる基本的な要求要件
① 過去の地震観測記録や今後の想定記録を用いて地震動を再現できること。また、短周期地震動と長周期地震動の再現ができること。
② 持ち運びが可能であり、100Vの電源があれば室内で稼働が可能であること。
③ 揺れと同期した室内被害映像を提供できること。
２　資料及びコメントの提供方法　上記１(2)の物品に関する一般的な参考資料及び同(5)の要求要件等に関するコメント並びに提供可能なライブラリーに関する資料等の提供を招請する。
(1) 資料等の提供期限　令和４年６月16日17時00分（郵送の場合は必着のこと。）
(2) 提供先　〒870―1192 大分県大分市大字旦野原700番地　大分大学財務部経理課調達グループ３　得丸未希子　電話097―554―7383
e-mail keiyaku3@oita-u.ac.jp
３　説明書の交付　本公表に基づき応募する供給者に対して導入説明書を交付する。
(1) 交付期間　令和４年５月16日から令和４年６月16日まで。
(2) 交付場所　上記２(2)に同じ。
４　説明会の開催　本公表に基づく導入説明会を開催する。
(1) 開催日時　令和４年５月19日15時00分
(2) 開催場所　オンライン開催のため、参加希望者は事前に上記２(2)まで連絡すること。
５　その他　この導入計画の詳細は導入説明書による。なお、本公表内容は予定であり、変更することがあり得る。
６　Summary
(1) Classification of the products to be procured : 24
(2) Nature and quantity of the products to be rent : Portable earthquake simulator 1 Set
(3) Type of the procurement : Purchase
(4) Basic requirements of the procurement :
① The equipment simulates the motion of earthquakes using past earthquake observation records and data assumed for future forecasts. The equipment also simulates long and short period ground motion of earthquakes.
② The equipment is portable and operates indoors with a 100V power supply.
③ The equipment displays on the monitor images of the damages in a room synchronized with the shaking of the earthquake.
(5) Time limit for the submission of the requested material : 17 : 00　16 June, 2022
(6) Contact point for the notice : Mikiko Tokumaru, Department of Financial Affairs, Accounting Division, Oita University, 700 Oaza Dan-noharu Oita-shi 870―1192 Japan, TEL 097―554―7383
e-mail keiyaku3@oita-u.ac.jp

資料提供招請に関する公表

次のとおり物品の導入を予定していますので、当該導入に関して資料等の提供を招請します。
令和４年５月16日
大学共同利用機関法人
高エネルギー加速器研究機構長　山内　正則
◎調達機関番号　416　◎所在地番号　08
○第１号
１　調達内容
(1) 品目分類番号　15、28
(2) 導入計画物品及び数量　ＫＥＫセキュアネットワークシステム　一式
(3) 調達方法　借入
(4) 導入予定時期　令和６年度８月
(5) 調達に必要とされる基本的な要求要件　本システムは機構内外のネットワークと、それに付随するシステムで構成される。ネットワークシステム同士は20Gbps以上の速度でファイヤウォールを経由しながらパケットロスなしに接続されること。このファイヤウォールはパケットフィルタだけでなく、マルウェア等の活動を自動的に検知しトラフィックを遮断出来ること。宛先ＩＰアドレス以外に発信アドレス及び両者のポート番号、ＡＳ番号などに基づくポリシールーティングが可能なこと。全てのルータ及びスイッチについてフローを監視し、履歴が蓄積されること。
２　資料及びコメントの提供方法　上記１(2)の物品に関する一般的な参考資料及び同(5)の要求要件等に関するコメント並びに提供可能なライブラリーに関する資料等の提供を招請する。
(1) 資料等の提供期限　令和４年６月17日17時00分（郵送の場合は必着のこと。）
(2) 提供先　〒305―0801 つくば市大穂１－１　大学共同利用機関法人高エネルギー加速器研究機構財務部契約課契約第五係　広瀬　昌章　電話029―864―5148
３　説明書の交付　本公表に基づき応募する供給者に対して導入説明書を交付する。
(1) 交付期間　令和４年５月16日から令和４年６月17日まで。
(2) 交付場所　上記２(2)に同じ。
４　説明会の開催　本公表に基づく導入説明会を開催する。
(1) 開催日時　令和４年５月23日14時00分
(2) 開催場所　大学共同利用機関法人高エネルギー加速器研究機構管理棟会議室
５　その他　この導入計画の詳細は導入説明書による。なお、本公表内容は予定であり、変更することがあり得る。
６　Summary
(1) Classification of the products to be procured : 15, 28
(2) Nature and quantity of the products to be rent : KEK Secure Network System 1 Set
(3) Type of the procurement : Rent
(4) Basic requirements of the procurement : KEK secure network system consists of the external and internal networks and additional systems. These networks must be connected to faster than 20Gbps via firewalls. The firewalls connecting these networks must not only filter packets out by static rules, but also detect malicious activities and block them automatically. The routers of in these system must implement the policy routing based on connection parameters such as source and destination IP prefixes, port numbers or AS number. All routers and switches of following networks and systems must monitor and record the traffic and flow history for future inspection. The flow history has sufficient information to detect which network switch and which port was used for the flow even if the flow had already finished.